


Appendix A1

Hydrogeology Figures



KNOX FARM

HYDROGEOLOGICAL INVESTIGATION

HYDROGEOLOGY CONDITIONS MEMO

STUDY AREA

FIGURE 1

- Knox Farm Property
 - Study Area (500m Buffer)
 - Proposed Site Location
 - Groundwater Supply Well
 - Monitoring Well or Unspecified in Water Well Record
 - Road
 - Watercourse
 - Waterbody
- City of Kingston, 2022**

SCALE 1:8,500



MAP DRAWING INFORMATION: Source: Esri, Maxar Earthstar Geographics, and the GIS User Community
DATA PROVIDED BY: DILLON CONSULTING LIMITED, HWRF, CITY OF KINGSTON, Ontario Re. 402 Water Well Information System

MAP CREATED BY: RS/LMH
MAP CHECKED BY: -
MAP PROJECTION: NAD 1983 CSRS UTM Zone 18N



PROJECT: 22-4641
STATUS: DRAFT
DATE: 2023-03-01

KNOX FARM

HYDROGEOLOGICAL INVESTIGATION

HYDROGEOLOGY CONDITIONS MEMO

MONITORING WELLS

FIGURE 2

-  Property Boundary
-  Proposed Site Location
-  Monitoring Well
-  Guelph Permeameter
-  Shallow Aquifer Groundwater Flow Direction

P2
GS: 107.43 masl
WL: 105.30 masl
Lat: 44.273661
Long: -76.505891


GP1:
Lat: 44.273639
Long: -76.505983

P3
GS: 104.99 masl
WL: 103.84 masl
Lat: 44.272988
Long: -76.507089

P1
GS: 107.47 masl
WL: 106.40 masl
Lat: 44.272873
Long: -76.504951

Notes:
Water level measured on
November 7, 2022.
masl - Metres Above Sea Level
GS - Ground Surface
WL - Water Level

SCALE 1:1,500



MAP DRAWING INFORMATION: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community
DATA PROVIDED BY: DILLON CONSULTING LIMITED, MNRF, CITY OF KINGSTON, Ontario Re. 903 Water Well Information System


MAP CREATED BY: RB/LMH
MAP CHECKED BY:
MAP PROJECTION: NAD 1983 CSRS UTM Zone 18N



PROJECT: 22-4841
STATUS: DRAFT
DATE: 2022-11-28

Appendix A2

Water Well Records



The Ontario Water Resources Act
WATER WELL RECORD

Print only in spaces provided.
Mark correct box with a checkmark, where applicable.

11

Bore Hole # 4

Municipality 22009 Con. CAN 03

County or District Frontenac		Township/Borough/City/Village Kingston (Kingston Twp)		Con block tract survey, etc. 3 1325238		Lot # 23424	
Owner's surname City of Kingston		First Name [REDACTED]		Address 126 Ontario St, Kingston		Date completed 17 06 07 day month year	
Zone U		Easting [REDACTED]		Northings [REDACTED]		RC [REDACTED]	
Elevation [REDACTED]		MCL [REDACTED]		Basin Code [REDACTED]		[REDACTED]	

[illegible][illegible]

41 WATER RECORD				
Water found at - feet	Kind of water			
10-12	1 ☐ Fresh	3 ☐ Sulphur	5 ☐	14
	2 ☐ Salty	4 ☐ Minerals	6 ☐ Gas	
15-18	1 ☐ Fresh	3 ☐ Sulphur	5 ☐	19
	2 ☐ Salty	4 ☐ Minerals	6 ☐ Gas	
20-23	1 ☐ Fresh	3 ☐ Sulphur	5 ☐	24
	2 ☐ Salty	4 ☐ Minerals	6 ☐ Gas	
25-28	1 ☐ Fresh	3 ☐ Sulphur	5 ☐	29
	2 ☐ Salty	4 ☐ Minerals	6 ☐ Gas	
30-33	1 ☐ Fresh	3 ☐ Sulphur	5 ☐	34
	2 ☐ Salty	4 ☐ Minerals	6 ☐ Gas	

51 CASING & OPEN HOLE RECORD				
Inside diam inches	Material	Wall thickness inches	Depth - feet	
			From	To
10-12 6 1/4	☒ Steel ☐ Galvanized ☐ Concrete ☐ Open hole ☐ Plastic	3/16	0	7'8"
17-18	☐ Steel ☐ Galvanized ☐ Concrete ☐ Open hole ☐ Plastic			23-25
24-25	☐ Steel ☐ Galvanized ☐ Concrete ☐ Open hole ☐ Plastic			27-30

SCREEN	Sizes of opening (Slot No.)	31-33	Diameter	34-35	Length	36-40
			inches		feet	
	Material and type			Depth at top of screen		
				feet		

61 PLUGGING & SEALING RECORD			
☐ Annular space		☐ Abandonment	
Depth set at - foot		Material and type (Cement grout, bentonite, etc.)	
From	To		
19-10	14-17		
19-21	20-25		
26-29	30-33	00	

71	Pumping test method ☐ Pump ☐ Bailer		Pumping rate GPM		Duration of pumping 11-14 Hours 15-18 Mins	
	Static level	Water level end of pumping	Water levels during ☐ Pumping ☐ Recovery			
	19-21	22-24	15 minutes 25-28	30 minutes 29-31	45 minutes 32-34	60 minutes 35-37
	77'		NO PUMP TEST			
	feet	feet	feet	feet	feet	feet
If flowing give rate		Pump intake seal		Water at end of test		
GPM				☐ Clear ☐ Cloudy		
Recommended pump type ☐ Shallow ☐ Deep		Recommended pump setting		Recommended pump rate		
		feet		GPM		

FINAL STATUS OF WELL			54
1 ☐ Water supply	5 ☐ Abandoned, insufficient supply	9 ☐ Unfinished	MONITOR
2 ☐ Observation well	6 ☐ Abandoned, poor quality	10 ☐ Replacement well	
3 ☐ Test hole	7 ☐ Abandoned (Other)		
4 ☐ Recharge well	8 ☐ Dewatering		
WATER USE			55
1 ☐ Domestic	6 ☒ Commercial	9 ☐ Not use	
2 ☐ Stock	7 ☐ Municipal	10 ☐ Other	
3 ☐ Irrigation	8 ☐ Public supply		
4 ☐ Industrial	9 ☐ Cooling & air conditioning		
METHOD OF CONSTRUCTION			56
1 ☐ Cable tool	6 ☒ Air percussion	9 ☐ Driving	
2 ☐ Rotary (conventional)	7 ☐ Boring	10 ☐ Digging	
3 ☐ Rotary (reverse)	8 ☐ Diamond	11 ☐ Other	
4 ☐ Rotary (air)	9 ☐ Jetting		


LOCATION OF WELL

In diagram below show distances of well from road and lot line.
Indicate north by arrow.

The diagram shows a rectangular area defined by dashed lines. Inside this area, there are four points labeled 1, 2, 3, and 4. Point 1 is at the bottom right corner, point 2 is at the bottom left corner, point 3 is at the top right corner, and point 4 is at the top left corner. To the right of the dashed rectangle is a vertical line labeled "PERTH RD". To the left of the dashed rectangle is a vertical line labeled "401". A horizontal line labeled "231675" is at the bottom. An arrow points north towards the top of the diagram.

Name of Well Contractor Jack Knox Well Drilling Ltd.		Well Contractor's Licence No. 3202
Address Glenburnie Ontario		
Name of Well Technician John Knox		Well Technician's Licence No. T2379
Signature of Technician/Contractor <i>[Signature]</i>		Submission date day mo yr

MINISTRY USE ONLY	Case source	56 Contract# 3202	34-82 Date received JUL 13 2001	03-68
	Date of inspection	Inspector		
	Remarks CSS ES1			



The Ontario Water Resources Act
WATER WELL RECORD

Print only in spaces provided.
Mark correct box with a checkmark, where applicable.

Municipality: 22009 Con: CAN 103

11
1 2 BORE HOLE #3

County or District Frontenac		Township/Borough/City/Town/Village Kingston (Kingston Twp)	Can block tract survey, etc. 3 1395238	Lot# 23434
Owner's surname City of Kingston	First Name [REDACTED]	Address 126 Ontario St. Kingston	Date completed 17 06 01 day month year	

Figure 1 illustrates the layout of a data record. The record is represented as a horizontal line with several fields. From left to right, the fields are: a box containing the number '21', a vertical line labeled 'UTM', 'Zone', 'Easting', 'Northing', 'AC', 'Elevation', 'BC', 'Basin Code', and a final field containing sub-fields 'I', 'II', and 'III'.

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)

[illegible][illegible]

41 WATER RECORD				
Water found at - feet	Kind of water			
10-12	1 ☐ Fresh	3 ☐ Sulphur	18	
	2 ☐ Salty	4 ☐ Minerals		
12-16	1 ☐ Fresh	3 ☐ Sulphur	18	
	2 ☐ Salty	4 ☐ Minerals		
20-23	1 ☐ Fresh	3 ☐ Sulphur	24	
	2 ☐ Salty	4 ☐ Minerals		
25-26	1 ☐ Fresh	3 ☐ Sulphur	26	
	2 ☐ Salty	4 ☐ Minerals		
30-33	1 ☐ Fresh	3 ☐ Sulphur	34	
	2 ☐ Salty	4 ☐ Minerals		

CASING & OPEN HOLE RECORD				
Inside diam inches	Material	Wall thickness inches	Depth - feet	
			From	To
10-11 6 1/4	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic	3 1/16	0	98
12-18	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic			99-100
20-25	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic			101-102

SCREEN	Size of opening (Slot No.)	21-23	Diameter	24-36	Length	39-43
			Inches		feet	
	Material and type			Depth at top of screen		
				feet		

61 PLUGGING & SEALING RECORD			
☐ Annular space		☐ Abandonment	
Depth set at - feet		Material and type (Cement grout, bentonite, etc.)	
From	To		
13-13	14-17		
18-21	22-25		
26-29	30-35	30	

PUMPING TEST	71 Pumping test method 1 ☐ Pump 2 ☐ Baler		16 Pumping rate 11-14 GPM		Duration of pumping 10-16 hours 17-19 Mins	
	Static level	Water level end of pumping	25 Water levels during 1 ☐ Pumping 2 ☐ Recovery			
	19-21 6'4" foot	22-24 foot	15 minutes 25-27 foot	30 minutes 28-31 foot	45 minutes 32-34 foot	60 minutes 35-37 foot
	if flowing give rate NO GPM	Pump intake foot	foot	Water at end of test 12 ☐ Clear ☐ Cloudy		
	Recommended pump type ☐ Shallow ☐ Deep	Recommended pump setting foot	43-45 foot	Recommended pump rate 46-48 GPM		

FINAL STATUS OF WELL 34		
☐ 1 Water supply ☐ 2 Observation well ☐ 3 Test hole ☐ 4 Recharge well	☐ 5 Abandoned, insufficient supply ☐ 6 Abandoned, poor quality ☐ 7 Abandoned (Other) ☐ 8 Dewatering	☐ 9 Unfinished ☐ 10 Replacement well
MONITOR		
WATER USE 35-38		
☐ 1 Domestic ☐ 2 Stock ☐ 3 Irrigation ☐ 4 Industrial	☒ 5 Commercial ☐ 6 Municipal ☐ 7 Public supply ☐ 8 Cooling & air conditioning	☐ 9 Not use ☐ 10 Other _____
METHOD OF CONSTRUCTION 37		
☐ 1 Cable tool ☐ 2 Rotary (conventional) ☐ 3 Rotary (reverse) ☐ 4 Rotary (air)	☒ 5 Air percussion ☐ 6 Boring ☐ 7 Diamond ☐ 8 Jetting	☐ 9 Drilling ☐ 10 Digging ☐ 11 Other _____

LOCATION OF WELL

In diagram below show distances of well from road and lot line.
Indicate north by arrow.

The diagram shows a well location relative to a road and a lot line. A north arrow points upwards. The road is labeled 'PEETH R.O.' and '231674'. The lot line is labeled '401'. The well is located in the upper right quadrant, with distances of 0.4, 0.3, 0.2, and 0.1 marked along the dashed lines.

Name of Well Contractor	Well Contractor's Licence No.
Jack Knox Well Drilling Ltd	3202
Address	
Glenburnie Ontario	
Name of Well Technician	Well Technician's Licence No.
John Knox	T2879
Signature of Technician/Contractor	Submission date
<i>[Signature]</i>	day mo yr

MINISTRY USE ONLY	Date source	Contractor	Date received
	3202	JUL 13 2001	
Date of inspection	Inspector		
Remarks			
SS.ES1			

Well Owner's Information

First Name: CITY OF KINGSTON Last Name: _____ E-mail Address: _____
 Mailing Address (Street Number/Name, RR): 216 ONTARIO ST. Municipality: KINGSTON Province: ONT. Postal Code: K7L2Z3 Telephone No. (inc. area code): 6135464291

☐ Well Constructed by Well Owner

Part A Construction and/or Major Alteration of a Well

Address of Well Location (Street Number/Name, RR): 1645 PENTH RD. Township: FRONTENAC Lot: 23+24 Concession: #3
 County/District/Municipality: CITY OF KINGSTON City/Town/Village: KINGSTON Province: Ontario Postal Code: _____
 UTM Coordinates: Zone: 18Q Easting: 8309653 Northing: 4903334 GPS Unit Make: Garmin Model: _____ Mode of Operation: ☐ Indifferent and ☒ Averaged
☐ Differentiated, specify: _____

Overburden and Bedrock Materials (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (Metres) From	To
Brown	Clay	Sand	Dense	0	2.74
Grey	Limestone	Shale		2.74	17 m
Four Monitoring Well					

Annular Space/Abandonment Sealing Record

Depth Set at (Metres) From	To	Type of Sealer Used (Material and Type)	Volume Placed (Cubic Metres)
0	1.52	Bentonite chips	
1.52	7.62	Bentonite slurry	

Method of Construction

☐ Cable Tool ☒ Diamond ☐ Public ☐ Commercial ☐ Not Used
☐ Rotary (Conventional) ☐ Jetting ☐ Trenchless ☐ Municipal ☐ Dewatering
☐ Rotary (Reverse) ☐ Driving ☐ Livestock ☐ Test Hole ☒ Monitoring
☐ Rotary (Air) ☐ Digging ☐ Irrigation ☐ Cooling & Air Conditioning
☐ Air Percussion ☒ Boring ☐ Industrial ☐ Other, specify: _____
☐ Other, specify: _____

Status of Well

☐ Water Supply ☐ Dewatering Well ☒ Close well used for Monitoring Hole
☐ Replacement Well ☐ Abandoned, Insufficient Supply ☐ Alteration (Construction)
☐ Test Hole ☐ Abandoned, Poor Water Quality ☐ Other, specify: _____
☐ Recharge Well ☐ Abandoned, other, specify: _____

Location of Well

Please provide a map below showing:
 - all property boundaries, and measurements sufficient to locate the well in relation to fixed points;
 - an arrow indicating the North direction;
 - detailed drawings can be provided as attachments no larger than legal size (8 1/2" by 14");
 - multiple pictures of inside of well can also be provided



Date Well Completed (yyyy/mm/dd): 2008 02 22 Was the well owner's information package delivered? ☐ Yes ☒ No
 Date the Well Record and Package Delivered to Well Owner (yyyy/mm/dd): 2008 03 14

Well Contractor and Well Technician Information

Business Name of Well Contractor: G.E.T. Drilling LTD. Well Contractor's Licence No.: 2008 5
 Business Address (Street No./Name, number, R.R.): Box 6 Municipality: Norman
 Province: ON Postal Code: K7L4Z4 Business Email Address: _____
 Bus. Telephone No. (inc. area code) (Name of Well Technician (Last Name, First Name)):
613 354 4767 Harrison, Tim
 Well Technician's Licence No.: 2008 5 Signature of Technician: _____ Date Submitted (yyyy/mm/dd): 2008 03 14

Results of Well Yield Testing

Check box if after test of well yield, water was:	Draw Down		Recovery	
	Time (Min)	Water Level (Metres)	Time (Min)	Water Level (Metres)
☐ Clear and sand free	Static Level		Static Level	
☐ Cannot develop to sand free state	1		1	
If pumping discontinued, give reason:	2		2	
Pumping test method:	3		3	
Pump intake set at (ft/etre):	4		4	
Pumping rate (Litres/min)	5		5	
Duration of pumping hrs + min	10		10	
Final water level end of pumping (Metres)	15		15	
Recommended pump type	20		20	
☐ Shallow ☐ Deep	25		25	
Recommended pump depth	30		30	
Metres	40		40	
Recommended pump rate (Litres/min)	50		50	
If flowing give rate (Litres/min)	60		60	

Water Details

Water found at Depth: _____ Metres ☐ Gas ☐ Fresh ☐ Salty ☐ Sulphur ☐ Minerals
 Water found at Depth: _____ Metres ☐ Gas ☐ Fresh ☐ Salty ☐ Sulphur ☐ Minerals
 Water found at Depth: _____ Metres ☐ Gas ☐ Fresh ☐ Salty ☐ Sulphur ☐ Minerals

Casing Used


☐ Galvanized ☐ Galvanized ☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete
 Diameter of the Hole (Centimetres): 7.62 cm
 Depth of the Hole (Metres): 17 m
 Well Thickness (Metres): _____

No Casing and Screen Used

☐ Open Hole ☐ Screened ☒ No
 Inside Diameter of the Casing (Metres): 5.08 cm
 Depth of the Casing (Metres): 7.62 m

Ministry Use Only

Auth No.: **2 76803** Well Contractor No.: _____
 Case Record No.: APR 29 2008 Date of Inspection (yyyy/mm/dd): _____
 Remarks: _____



The Ontario Water Resources Act WATER WELL RECORD

2217151

Municipality 22009 Con CON 03

#2 Bore Hole 22

County or District Frontenac	Township/Borough/City/Town/Village Kingston (Kingston Twp)	Con block tract survey, etc. 3 LPS 238	Lot # 23024
Owner's surname City of Kingston (cl)	First Name [REDACTED]	Address 126 Ontario St. Kingston	Date completed 17 06 01 day month year

21	Zone	Easting	Northing	HC	Elevation	HC	Current Class
	U T M						

[illegible][illegible][illegible]

41 WATER RECORD									
Water found at - feet		Kind of water							
10-12	1	☐ Fresh	3	☐ Sulphur	5				
	2	☐ Salty	4	☐ Minerals	6	☐ Gas			
13-15	1	☐ Fresh	3	☐ Sulphur	5				
	2	☐ Salty	4	☐ Minerals	6	☐ Gas			
20-25	1	☐ Fresh	3	☐ Sulphur	5				
	2	☐ Salty	4	☐ Minerals	6	☐ Gas			
26-30	1	☐ Fresh	3	☐ Sulphur	5				
	2	☐ Salty	4	☐ Minerals	6	☐ Gas			
30-35	1	☐ Fresh	3	☐ Sulphur	5				
	2	☐ Salty	4	☐ Minerals	6	☐ Gas			

51 CASING & OPEN HOLE RECORD				
Inside diam inches	Material	Wall thickness inches	Depth - feet	
			From	To
6 1/4"	☒ Steel ☐ Galvanized ☐ Concrete ☐ Open hole ☐ Plastic	3 1/16"	0	7
11 1/8"	☐ Steel ☐ Galvanized ☐ Concrete ☐ Open hole ☐ Plastic			23 25
21 1/2"	☐ Steel ☐ Galvanized ☐ Concrete ☐ Open hole ☐ Plastic			27 30

SCREEN	Size of opening (Slot No.)	31-33	Diameter	34-36	Length	39-42
				inches	feet	
	Material and type			Depth at top of screen		37-41
						feet

61 PLUGGING & SEALING RECORD			
☐ Annular space		☐ Abandonment	
Depth set at - feet		Material and type (Cement grout, bentonite, etc.)	
From	To		
13.10	14.17		
18.21	20.06		
25.23	30.08	NO	

PUMPING TEST	71 Pumping test method ☐ Pump ☐ Bailer		15 Pumping rate 11-14 GPM		Duration of pumping 12-16 Hours 11-16 Mins	
	25 Static level 73 feet		Water level end of pumping 33.24 feet		☐ Pumping ☐ Recovery 15 minutes 22-24 45 minutes 24-26 60 minutes 26-27 15 minutes 22-24 45 minutes 24-26 60 minutes 26-27 feet feet feet	
	If flowing gives rate No feet GPM		Pump installed at feet		Water at end of test ☐ Clear ☐ Cloudy 46-48 GPM	
	Recommended pump type ☐ Shallow ☐ Deep		Recommended pump setting 43-45 feet		Recommended pump rate GPM	
	30-32					

FINAL STATUS OF WELL 54	
☐ 1 Water supply ☐ 2 Observation well ☐ 3 Test hole ☐ 4 Recharge well	☐ 5 Abandoned, insufficient supply ☐ 6 Abandoned, poor quality ☐ 7 Abandoned (Other) ☐ 8 Dewatering
☐ 9 Unfinished ☐ 10 Replacement well MONITOR	
WATER USE 55	
☐ 1 Domestic ☐ 2 Stock ☐ 3 Irrigation ☐ 4 Industrial	☒ 5 Commercial ☐ 6 Municipal ☐ 7 Public supply ☐ 8 Cooling & air conditioning
☐ 9 Not used ☐ 10 Other _____	
METHOD OF CONSTRUCTION 56	
☐ 1 Cable tool ☐ 2 Rotary (conventional) ☐ 3 Rotary (reverse) ☐ 4 Rotary (air)	☒ 5 Air percussion ☐ 6 Boring ☐ 7 Diamond ☐ 8 Jetting
☐ 9 Driving ☐ 10 Digging ☐ 11 Other _____	

LOCATION OF WELL

In diagram below show distances of well from road and lot line.
Indicate north by arrow.

401

231673

Name of Well Contractor	Well Contractor's Licence No.
JACK KNOX Well Drilling Ltd.	3202
Address	
Glenburnie Ontario	
Name of Well Technician	Well Technician's Licence No.
John Knox	T2879
Signature of Technician/Contractor	Submission date
<i>John Knox</i>	day mo yr

MINISTRY USE ONLY	Date source	Contractor 3202	Date received JUL 13 2001
	Date of inspection	Inspector	
Remarks 88.551			

Print only in spaces provided.
Mark correct box with a checkmark, where applicable

2217150

Municipality

Cont

Municipality 22009 Con CAN 03

BORE HOLE #1

County or District Frontenac	Township/Borough/City/Town/Village Kingston (Kingston Twp)	Con block tract survey, etc. 3 13P5238	Lot 23424
Owner's surname City of Kingston	First Name [REDACTED]	Address 126 Ontario St, Kingston	Date completed 17 06 01 day month year
Zone 21	Easting [REDACTED]	Northing [REDACTED]	RC [REDACTED]
Elevation [REDACTED]	NC [REDACTED]	Basin Code [REDACTED]	

[illegible][illegible]

4.1 WATER RECORD			
Water found at - feet	Kind of water		
10-13	1 ☐ Fresh 2 ☐ Salty	3 ☐ Sulphur 4 ☐ Minerals 5 ☐ Gas	14
15-18	1 ☐ Fresh 2 ☐ Salty	3 ☐ Sulphur 4 ☐ Minerals 5 ☐ Gas	19
20-23	1 ☐ Fresh 2 ☐ Salty	3 ☐ Sulphur 4 ☐ Minerals 5 ☐ Gas	24
25-28	1 ☐ Fresh 2 ☐ Salty	3 ☐ Sulphur 4 ☐ Minerals 5 ☐ Gas	29
30-33	1 ☐ Fresh 2 ☐ Salty	3 ☐ Sulphur 4 ☐ Minerals 5 ☐ Gas	34

5.1 CASING & OPEN HOLE RECORD				
Inside diam inches	Material	Wall thickness inches	Depth - feet	
			From	To
6 1/4"	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic	3 1/16"	0'	7'
17-18	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic			20-23
24-25	1 ☐ Steel 2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole 5 ☐ Plastic			27-30

6.1 PLUGGING & SEALING RECORD			
Size of opening (Slot No.)		Diameter	Length
		inches	feet
Material and type		Depth at top of screen	
		feet	

6.1 PLUGGING & SEALING RECORD		
☐ Annular space ☐ Abandonment		
Depth set at - feet		Material and type (Cement grout, bentonite, etc.)
From	To	
10-12	14-17	
18-21	22-25	
26-29	30-33	

PUMPING TEST	Pumping test method ☐ Pump ☐ Baker		Pumping rate GPM	Duration of pumping 15-18 Hours 17-19 Mins	
	Static level	Water level end of pumping	Water levels during	☐ Pumping ☐ Recovery	
	19-21	20-24	15 minutes	30 minutes	45 minutes
	feet	feet	feet	feet	feet
	72'	NO	TEST		
If flowing give rate		Pump intake set at	Water at end of test		
GPM		feet	☐ Clear ☐ Cloudy		
Recommended pump type		Recommended pump setting	Recommended pump rate		
☐ Shallow ☐ Deep		feet	GPM		

LOCATION OF WELL

In diagram below show distances of well from road and lot line. Indicate north by arrow.

14

3

McDo's Lane

FINAL STATUS OF WELL 14		
1 ☐ Water supply 2 ☐ Observation well 3 ☐ Test hole 4 ☐ Recharge well	5 ☐ Abandoned, insufficient supply 6 ☐ Abandoned, poor quality 7 ☐ Abandoned (Other) 8 ☐ Dewatering	
WATER USE 15-16		
1 ☐ Domestic 2 ☐ Stock 3 ☐ Irrigation 4 ☐ Industrial	5 ☒ Commercial 6 ☐ Municipal 7 ☐ Public supply 8 ☐ Cooling & air conditioning	
METHOD OF CONSTRUCTION 17		
1 ☐ Cable tool 2 ☐ Rotary (conventional) 3 ☐ Rotary (reverse) 4 ☐ Rotary (air)	5 ☒ Air percussion 6 ☐ Boring 7 ☐ Diamond 8 ☐ Jetting	

Name of Well Contractor Jack Knox Well Drilling Ltd		Well Contractor's Licence No. 3202	
Address Glenburnie, Ontario			
Name of Well Technician John Knox		Well Technician's Licence No. T2879	
Signature of Technician/Contractor <i>[Signature]</i>		Submission date day mo yr	

MINISTRY USE ONLY	Data source	Contractor 3202	Date received JUL 13 2001
	Date of inspection	Inspector	
	Remarks CSS.ES1		



WATER WELL RECORD

31c17a

11

2251520

MUNICIP.
22009

CGM
CRW

TOWNSHIP BOROUGH, CITY, TOWN, VILLAGE

CON. BLOCK, TRACT, SURVEY, ETC

10. *Let the*

Front end

Kingston

CRW

3

91 Wiley St. Kingston

DATE COMPLETED 44-55
DAY 14 MO. 01 YR. 75

2207028	18	380180	4903735	4	380	5	24	MAR 28, 1977	243
---------	----	--------	---------	---	-----	---	----	--------------	-----

DO NOT USE UNDEGRADED AND PERISHABLE MATERIALS (SEE INSTRUCTIONS)

[illegible]

31	0002602	0122315					
32							

41		WATER RECORD			
WATER FOUND AT - FEET		KIND OF WATER			
0053	10-15	1 ☒ FRESH	2 ☐ SULPHUR	3 ☐ SALT	4 ☐ MINERAL
	15-18	1 ☐ FRESH	2 ☐ SULPHUR	3 ☐ SALT	4 ☐ MINERAL
0086	20-23	1 ☐ FRESH	2 ☐ SULPHUR	3 ☐ SALT	4 ☐ MINERAL
	23-28	1 ☐ FRESH	2 ☐ SULPHUR	3 ☐ SALT	4 ☐ MINERAL
	30-33	1 ☐ FRESH	2 ☐ SULPHUR	3 ☐ SALT	4 ☐ MINERAL
	33-38	1 ☐ FRESH	2 ☐ SULPHUR	3 ☐ SALT	4 ☐ MINERAL

51 CASING & OPEN HOLE RECORD				
HOLE DEPTH IN FEET	MATERIAL	WELL THICKNESS IN FEET	DEPTH - FEET	
			FROM	TO
12-13	1 ☒ STEEL	$\frac{3}{16}$	0'	25' 0025
13-14	2 ☐ GALVANIZED			
14-15	3 ☐ CONCRETE			
15-16	4 ☐ OPEN HOLE			
17-18	1 ☐ STEEL	$\frac{3}{16}$	0'	25' 0122
18-19	2 ☐ GALVANIZED			
19-20	3 ☐ CONCRETE			
20-21	4 ☐ OPEN HOLE			
22-23	1 ☐ STEEL	$\frac{3}{16}$	0'	25' 0122
23-24	2 ☐ GALVANIZED			
24-25	3 ☐ CONCRETE			
25-26	4 ☐ OPEN HOLE			

SCREEN	SIZE OF OPENING 1/2" x 1/2"	DIAMETER 3/4"	LENGTH 30-60"
	INCHES		FEET
MATERIAL AND TYPE	DEPTH TO TOP OF SCREEN		40-60"
			FEET

61 PLUGGING & SEALING RECORD			
DEPTH (S) AT - FEET		MATERIAL AND TYPE	CEMENT GROUT, LEAD PALM, ETC.
FROM	TO		
10-15	16-17		
18-21	22-25		
26-29	30-33	90	

PUMPING TEST	PUMPING TEST METHOD		TO		DURATION		STATION ON PUMPING	
	☐ PUMP ☒ SAILER		00/2		02		15-00 00 17-16	
	STATIC LEVEL WATER LEVEL END OF PUMPING		38		1 ☒ UNPUMPING 2 ☐ RECOVERY			
	19-21 042 FEET		22-34 084 FEET		15 MINUTES 34 20-28 062 FEET		45 MINUTES 067 50-54 071 FEET	
	IF FLOWING GIVE DATE		20-41 PUMP INTAKE SET AT		WATER AT END OF TEST		42	
	RECOMMENDED PUMP CAP.		RECOMMENDED PUMP SETTING		43-45		RECOMMENDED PUMP SETTING	
	☐ SMALLER ☒ LARGER		119		00/2		46-48	
	50-55 000.3		GPM / FT SPECIFIC CAPACITY					

FINAL STATUS OF WELL 1 ☒ WATER SUPPLY 2 ☐ OBSERVATION WELL 3 ☐ TEST HOLE 4 ☐ RECHARGE WELL	5 ☐ ABANDONED, INSUFFICIENT SUPPLY 6 ☐ ABANDONED, POOR QUALITY 7 ☐ UNFINISHED
WATER USE 1 ☒ DOMESTIC 2 ☐ STOCK 3 ☐ IRRIGATION 4 ☐ INDUSTRIAL ☐ OTHER	5 ☐ COMMERCIAL 6 ☐ MUNICIPAL 7 ☐ PUBLIC SUPPLY 8 ☐ COOLING OR AIR CONDITIONING ☐ NOT USED
METHOD OF DRILLING 1 ☐ CABLE TOOL 2 ☐ ROTARY (CONVENTIONAL) 3 ☐ ROTARY (REVERSE) 4 ☐ ROTARY (AIR) 5 ☒ AIR PERCUSSION	6 ☐ BORING 7 ☐ DIAMOND 8 ☐ JETTING 9 ☐ DRIVING

CONTRACTOR	NAME OF WELL CONTRACTOR	LICENCE NUMBER
	JACK KNOX	3202
	ADDRESS	
	Glenburnie	
	NAME OF DRILLER OR BOWER	LICENCE NUMBER
	RON KNOX	
	SIGNATURE OF CONTRACTOR	SUBMISSION DATE
	<i>[Signature]</i>	DAY 16 MO 4 YEAR 75

LOCATION OF WELL 8003

IN DIAGRAM BELOW SHOW DISTANCES OF WELL FROM ROAD AND LOT LINE. INDICATE NORTH BY ARROW.

401 401 East

DRILLERS REMARKS:

OFFICE USE ONLY	DATA SOURCE	58	CONTRACTOR	59-63	DATE RECEIVED	59-68
	1		3202		210475	
	DATE OF INSPECTION		INSPECTOR		DW.	
REMARKS:					 WI	



Ontario

2. PRINT ONLY IN SPACES PROVIDED
3. CHECK ☒ CORRECT BOX NUMBER

11

12207162.

122009

Kid

1. 1

COUNTY OR DISTRICT		TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE		CON., BLOCK, TRACT, SURVEY, ETC.		LOT	
FRONTENAC		KINGSTON		4		24	
OWNER (SURNAME FIRST)		ADDRESS		DATE COMPLETED		NO.	
CATHERINE CARR, AUTH.		RR KINGSTON ONT.		11		97	
2001		EASTING		NORTHING		NO.	
2207162 18		375596		4903964		4	
				270		5	
				24		MAR 28, 1977	
						243	

LOG UP OVERBUNDEN AND BEDRUCK MATERIALS (SEE INSTRUCTIONS)

[illegible][illegible]

41 WATER RECORD	
WATER FOUND AT - FEET	KIND OF WATER
0-10	☒ FRESH ☐ SULPHUR ☐ SALTY ☐ MINERAL
10-20	☐ FRESH ☐ SULPHUR ☐ SALTY ☐ MINERAL
20-30	☐ FRESH ☐ SULPHUR ☐ SALTY ☐ MINERAL
30-40	☐ FRESH ☐ SULPHUR ☐ SALTY ☐ MINERAL
40-50	☐ FRESH ☐ SULPHUR ☐ SALTY ☐ MINERAL

51		CASING & OPEN HOLE RECORD	
DATE DOWN HOLES	MATERIAL	HOLE THICKNESS INCHES	DEPTH - FEET
			FROM
06-10-54 64	☒ STEEL ☐ GALVANIZED ☐ CONCRETE ☐ OPEN HOLE	.158	0' 087'
06-17-54	☐ STEEL ☐ GALVANIZED ☐ CONCRETE ☒ OPEN HOLE		0123
06-25-54	☐ STEEL ☐ GALVANIZED ☐ CONCRETE ☐ OPEN HOLE		

SCREEN	SIDE(s) OF OPENING (SIDE NO.)	DI-20	DIAMETER	DI-20	LENGTH	DI-20
				INCHES		FEET
	MATERIAL AND TYPE		DEPTH TO TOP OF SCREEN		DI-20	DI-20

61 PLUGGING & SEALING RECORD		MATERIAL AND TYPE		CEMENT BOUT LEAD PACKED, ETC.	
DEPTH SET AT - FEET					
FROM	TO				
10-00	10-00				
10-01	10-01				
10-02	10-02				

PUMPING TEST	PUMPING TEST METHOD 1 ☒ PUMP 2 ☐ BAILED		PUMPING RATE 0007 GPM		DURATION OF PUMPING 01:00 HOURS	
	STATIC LEVEL 018 FEET	WATER LEVEL END OF PUMPING 123 FEET	WATER LEVELS DURING		1 ☒ PUMPING 2 ☐ RECOVERY	
	30-31	32-33	10 MINUTES 123 FEET	20 MINUTES 123 FEET	30 MINUTES 123 FEET	40 MINUTES 123 FEET
	IF FLOWING GIVE RATE	30-31 GPM	PUMP OUTAGE SET AT FEET		WATER BY LINE OF TEST 2	
	RECOMMENDED PUMP TYPE ☐ SHALLOW ☒ DEEP	RECOMMENDED PUMP SIZING 118 FEET	RECOMMENDED PUMPING RATE 0005 GPM			
	10-32	000.1	CPM - FT SPECIFIC CAPACITY			

FINAL STATUS OF WELL	☒ 1 WATER SUPPLY ☐ 2 OBSERVATION WELL ☐ 3 TEST HOLE ☐ 4 RECHARGE WELL	☐ 5 ABANDONED INSUFFICIENT SUPPLY ☐ 6 ABANDONED POOR QUALITY ☐ 7 UNFINISHED
WATER USE 01	☒ 1 DOMESTIC ☐ 2 STOCK ☐ 3 IRRIGATION ☐ 4 INDUSTRIAL ☐ 5 OTHER	☐ 6 COMMERCIAL ☐ 7 MUNICIPAL ☐ 8 PUBLIC SUPPLY ☐ 9 COOLING OR AIR CONDIT. TRING ☐ 0 NOT USED
METHOD OF DRILLING 5	☐ 1 CABLE TOOL ☐ 2 ROTARY (CONVENTIONAL) ☐ 3 ROTARY (REVERSE) ☐ 4 ROTARY (JIP) ☒ 5 AIR PERCUSSION	☐ 6 SPRING ☐ 7 DIAMOND ☐ 8 JETTING ☐ 9 DRIVING

LOCATION OF WELL 7904

IN DIAGRAM BELOW SHOW DISTANCES OF WELL FROM ROAD AND LOT LINE INDICATE NORTH BY ARROW.

Lot 24
Cont. 4

20'

80 mi.

COUNTY RD. 10

Buckhorn Road

Holt

N.Y.


NO.

Holt

DRAWING NUMBER

CONTRACTOR	NAME OF WELL CONTRACTOR		LICENSE NUMBER	
	Am. & Sons Ltd.		1704	
	ADDRESS			
	Edison Court			
	NAME OF BRILL OR BORE		LICENSE NUMBER	
	George Albertson			
	SIGNATURE OF CONTRACTOR		SUBMISSION DATE	
	W. J. [Signature]		DAY 11 MO 7 1952	

OFFICE USE ONLY	DATE SOURCE	DO 1	CONTRACT NO 1704	DO 52	DATE RECEIVED 220875	DO 50	DO 51
	DATE OF INSPECTION		INSPECTOR K				
	REMARKS					P WI	



WATER WELL RECORD

1. PRINT ONLY IN SPACES PROVIDED
2. CHECK ☒ CORRECT BOX WHERE APPLICABLE

12206449

MUNICIP. 220 00

COB
K. J. N.

11.4

CITY OR DISTRICT

TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE

BLOCK, TRACT, SURVEY, ETC.

NOTED 12-11-64

Frontenac

Kingston

Division St. IV

025

OWNER (SURNAME FIRST) 28-47 CON. Auth
Cataraqui Conservation

ADDRESS 837 Princess St. Suite 503 Kingston

DATE COMPLETED 48-53
DAY 18 MO 08 YR 73
II III IV

2206449 18

379951

4904028

4

285

5 24

NOV 08, 1974

LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS)

[illegible]

SCREEN	SA		BX		YS		SO	
	SIZE (4" OP. OPENING EQUIV. NO.)		24-36	DIAMETER	36-38	LENGTH		38-42
				INCHES				FEET
MATERIAL AND TYPE				DEPTH TO TOP OF SCREEN		41-44		50
						FEET		

61 PLUGGING & SEALING RECORD			
DEPTH SET AT FEET		MATERIAL AND TYPE	CURRENT GROUT LEAD FRACKER, ETC.
FROM	TO		
10-13	14-17		
18-21	22-25		
26-28	30-33	40	

LOCATION OF WELL

IN DIAGRAM BELOW SHOW DISTANCES OF WELL FROM ROAD AND LOT LINE. INDICATE NORTH BY ARROW.

401

RD 10'

Well

20'

10'

401

DRILLING REMARKS:

FINAL STATUS OF WELL	54 1 ☒ WATER SUPPLY 2 ☐ OBSERVATION WELL 3 ☐ TEST HOLE 4 ☐ RECHARGE WELL	5 ☐ ABANDONED - INSUFFICIENT SUPPLY 6 ☐ ABANDONED - POOR QUALITY 7 ☐ UNFINISHED
WATER USE	55-56 1 ☒ DOMESTIC 2 ☐ STOCK 3 ☐ IRRIGATION 4 ☐ INDUSTRIAL ☐ OTHER	5 ☐ COMMERCIAL 6 ☐ MUNICIPAL 7 ☐ PUBLIC SUPPLY 8 ☐ COOLING OR AIR CONDITIONING 9 ☐ NOT USED
METHOD OF DRILLING	57 1 ☒ CABLE TOOL 2 ☐ ROTARY (CONVENTIONAL) 3 ☐ ROTARY (REVERSE) 4 ☐ ROTARY (AIR) 5 ☐ AIR PERCUSSION	6 ☐ BORING 7 ☐ G. AUGER 8 ☐ JETTING 9 ☐ DRIVING

CONTRACTOR	NAME OF WELL CONTRACTOR	LICENCE NUMBER
	JOCK KNOX	3202
	ADDRESS	
	WESTBROOK	
	NAME OF DRILLER OR BORE	LICENCE NUMBER
	Ronald Knox	
	SIGNATURE OF CONTRACTOR	SUBMIT IN DATE
	[Signature]	10 73
		DAY _____ NO _____ YR _____

OFFICE USE ONLY	DATA SOURCE	88	CONTRACT NO.	89-82	DATE RECEIVED	82-88
	1		3202		06 11 73	
	DATE OF INSPECTION	INSPECTOR				
	REMARKS					

Y/K K

CSS. 58



Ministry
of the
Environment

Ontario

The Ontario Water Resources Act 31C72

WATER WELL RECORD

1. PRINT ONLY IN SPACES PROVIDED
2. CHECK ☐ CORRECT BOX WHERE APPLICABLE

11

2209101

22009

CON

04

COUNTY OR DISTRICT Frontenac	TOWNSHIP Kingston	LOT 4	DATE COMPLETED 02 6 81
LOCALITY Glenburnie, Ontario.		DEPT 04099	DATE 26 06 81

LOG OF OVERBURDEN AND BEDROCK MATERIALS

GENERAL COLOUR	MOST COMMON MATERIAL	OTHER MATERIALS	GENERAL DESCRIPTION	DEPTH (FEET)
Blue	Limestone		Shale	0' 8
Blue	Limestone			8' 90
Green	Limestone			90' 105
Blue	Limestone			105' 134

31	000831517	00A0315	0105415	0134315
32				


41 WATER RECORD	
WATER FOUND AT FEET 0133	KIND OF WATER ☒ FRESH ☐ SALTY ☐ SULPHUR ☐ MINERAL
15-18	☐ FRESH ☐ SALTY ☐ SULPHUR ☐ MINERAL
20-23	☐ FRESH ☐ SALTY ☐ SULPHUR ☐ MINERAL
25-28	☐ FRESH ☐ SALTY ☐ SULPHUR ☐ MINERAL
30-33	☐ FRESH ☐ SALTY ☐ SULPHUR ☐ MINERAL

51 CASING & OPEN HOLE RECORD	
PIPE DIA. (INCHES) 6 7/8	MATERIAL ☒ STEEL ☐ GALVANIZED ☐ CONCRETE ☐ OPEN HOLE
WALL THICKNESS (INCHES) 3/16	DEPTH (FEET) 0' 0021
15-18	☐ STEEL ☐ GALVANIZED ☐ CONCRETE ☐ OPEN HOLE
20-23	☐ STEEL ☐ GALVANIZED ☐ CONCRETE ☐ OPEN HOLE
25-28	☐ STEEL ☐ GALVANIZED ☐ CONCRETE ☐ OPEN HOLE

SCREEN	SIZE OF OPENING (INCHES) 31-33	DIMETER 34-38	LENGTH 39-40
MATERIAL AND TYPE		DEPTH TO TOP OF SCREEN 61-64	FEET 30

61 PLUGGING & SEALING RECORD	
DEPTH SET AT FEET 10-15	MATERIAL AND TYPE CEMENT GROUT LEAD PACKER ETC.
15-18	18-21
18-21	21-23
23-26	26-30

71 PUMPING TEST METHOD ☐ PUMP ☒ BAILEY		PUMPING RATE 0020	DURATION OF PUMPING 02 15-18 00
STATIC LEVEL 093	WATER LEVEL END OF PUMPING 125	WATER LEVELS DURING 104 112 119 122	☒ PUMPING ☐ RECOVERY
FLOWING GIVE RATE 093	PUMP INTAKE SET AT 130	WATER AT END OF TEST 0020	☒ CLEAR ☐ CLOUDY
RECOMMENDED PUMP TYPE ☐ SHALLOW ☒ DEEP	RECOMMENDED PUMP SETTING 130	RECOMMENDED PUMPING RATE 0020	



FINAL STATUS OF WELL 1	☒ WATER SUPPLY ☐ ABANDONED - INSUFFICIENT SUPPLY ☐ OBSERVATION WELL ☐ ABANDONED - POOR QUALITY ☐ TEST HOLE ☐ UNFINISHED ☐ RECHARGE WELL
WATER USE 01	☒ DOMESTIC ☐ COMMERCIAL ☐ STOCK ☐ MUNICIPAL ☐ IRRIGATION ☐ PUBLIC SUPPLY ☐ INDUSTRIAL ☐ COOLING OR AIR CONDITIONING ☐ OTHER ☐ NOT USED
METHOD OF DRILLING 5	☐ CABLE TOOL ☐ BORING ☐ ROTARY (CONVENTIONAL) ☐ DIAMOND ☐ ROTARY (REVERSE) ☐ JETTING ☐ ROTARY (AIR) ☒ AIR PERCUSSION ☐ DRIVING

CONTRACTOR	NAME OF WELL CONTRACTOR Jack Knox	LICENCE NUMBER 3202
	ADDRESS Glenburnie	
	NAME OF DRILLER OR BORE Ron Knox	LICENCE NUMBER 3219
	SIGNATURE OF CONTRACTOR Jack Knox	SUBMISSION DATE 11 01 82

OFFICE USE ONLY	DATE SOURCE 1	CONTRACTOR 3202	DATE RECEIVED 18 01 82
DATE OF INSPECTION		INSPECTOR	
REMARKS			

CSS.ES



UTM 17 24

5 R 10

Elev. 5 R 0 4 0 0

Basin 2 4 Frontenac

County or District

Con. W.G.C.R. II Lot 2 10

The Ontario Water Resources Commission Act

WATER WELL RECORD

Township, Village, Town or City Kingston

Date completed Sept. 30, 1965

Address Box 112, Bloomfield, Ont.

WATER RESOURCES COMMISSION
22 DRYDEN ST.
KINGSTON, ONT. K7L 1A2

Casing and Screen Record

Inside diameter of casing 8"

Total length of casing 6 ft.

Type of screen

Length of screen

Depth to top of screen

Diameter of finished hole 8"

Pumping Test

Static level 70 ft.

Test-pumping rate 20 G.P.M.

Pumping level 85 ft.

Duration of test pumping 2 hr.

Water clear or cloudy at end of test clear

Recommended pumping rate 10 G.P.M.

with pump setting of 97 feet below ground surface

Well Log

Water Record

Overburden and Bedrock Record

clay gravel

grey limestone

brown limestone

From
ft.To
ft.Depth(s) at
which water(s)
foundKind of water
(fresh, salty,
sulphur)

0

6

6

70

70

100

95 ft.

fresh

For what purpose(s) is the water to be used?

Drive In Theatre

Is well on upland, in valley, or on hillside? upland

Drilling or Boring Firm L.H. McClennon & Son

Address Wellington, Ont.

Licence Number 1688

Name of Driller or Borer Ken McClennon

Address Wellington, Ont.

Date Sept. 30, 1965

L.H. McClennon


(Signature of Licensed Drilling or Boring Contractor)

Form 7 15M-60-4138

OWRC COPY

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



401 HIGHWAY

KINGSTON.

WATER WELL RECORD

Water management in Ontario

1. PRINT ONLY IN SPACES PROVIDED.

2. CHECK ☒ CORRECT BOX WHERE APPLICABLE

11

2206734.

MURKIN
77009

CGN

54

COUNTY OR DISTRICT

Frontenac

TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE

Kingston

CON. BLOCK, TRACT, SURVEY, ETC.

11

LOI	28-27
-----	-------

026

DATE COMPLETED _____

DAY 10 MON ⁰⁵~~MAY~~ 1974

Wellington St. Kingston

PRE	PC	EXPLANATION	PC	BASIS CODE	1	2	3
04053	4	405	5	24	MAR	28,	1977 243

MAR 28, 1977

243

LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS)

[illegible]

31	0178	15
----	------	----

32

41 WATER RECORD

51 CASING & OPEN HOLE RECORD

WATER FOUND AT - FEET	KIND OF WATER			
10-14	☒ FRESH 2 ☐ SALTY	☐ SULPHUR 4 ☐ MINERAL	18	
15-18	☐ FRESH 2 ☐ SALTY	☐ SULPHUR 4 ☐ MINERAL	18	
20-23	☐ FRESH 2 ☐ SALTY	☐ SULPHUR 4 ☐ MINERAL	24	
25-28	☐ FRESH 2 ☐ SALTY	☐ SULPHUR 4 ☐ MINERAL	29	
30-33	☐ FRESH 2 ☐ SALTY	☐ SULPHUR 4 ☐ MINERAL	34	

INVERT DIAM. INCHES	MATERIAL	WALL THICKNESS INCHES	DEPTH - FEET	
			FROM	TO
06 10-11	☒ STEEL 10 2 ☐ GALVANIZED 3 ☐ CONCRETE 4 ☐ OPEN HOLE		0	0021 21-9
06 17-18	☐ STEEL 13 1 ☐ GALVANIZED 2 ☐ CONCRETE 3 ☒ OPEN HOLE		21'9"	21'8"
24-25	☐ STEEL 26 1 ☐ GALVANIZED 2 ☐ CONCRETE 3 ☐ OPEN HOLE			27-30

54		65		75		80	
SIZE(S) OF OPENING (SLOT NO.)		21-30	DIAMETER	34-38	LENGTH	39-43	
SCREEN				INCHES		FEET	
	MATERIAL AND TYPE			DEPTH TO TOP (OF SCREEN)		41-44	45

61 PLUGGING & SEALING RECORD


DEPTH SET AT - FEET		MATERIAL AND TYPE (CONCRETE, CRUSH, LEAD PACKER, ETC.)
FROM	TO	
10-13	14-17	
18-21	22-25	
26-29	30-33	100

[illegible]

LOCATION OF WELL

8004

IN DIAGRAM BELOW SHOW DISTANCES OF WELL FROM ROAD AND LOT LINE. INDICATE NORTH BY ARROW.



DEALER'S REMARKS:

FINAL STATUS OF WELL WATER USE METHOD OF DRILLING	1 ☒ WATER SUPPLY 2 ☐ OBSERVATION WELL 3 ☐ TEST HOLE 4 ☐ ABANDONED WELL 5 ☐ ABANDONED, INSUFFICIENT SUPPLY 6 ☐ ABANDONED, POOR QUALITY 7 ☐ UNFINISHED
	1 ☐ DOMESTIC 2 ☐ STOCK 3 ☐ IRRIGATION 4 ☐ INDUSTRIAL 5 ☐ OTHER 6 ☒ COMMERCIAL 7 ☐ MUNICIPAL 8 ☐ PUBLIC SUPPLY 9 ☐ COOLING OR AIR CONDITIONING 10 ☐ NOT USED
	1 ☐ CORE-POOL 2 ☐ ROTARY (CONVENTIONAL) 3 ☐ ROTARY (REVERSE) 4 ☒ ROTARY (AIR) 5 ☐ A/R PERCUSSION 6 ☐ BORING 7 ☐ DIAMOND 8 ☐ JETTING 9 ☐ DRIVING

CONTRACTOR	NAME OF WELL CONTRACTOR	LICENSE NUMBER
	Goodberry Well drilling Ltd.	2402
	ADDRESS	
	Verona Ont.	
CONTRACTOR	NAME OF DRILLER OR BORER	LICENSE NUMBER
	Arnold Munro	
	SIGNATURE OF CONTRACTOR	SUBMISSION DATE
	<i>Leslie Goodberry</i>	DAT 13 MAY 74

OFFICE USE ONLY	DATA SOURCE	50	CONTRACTOR	53-82	DATE RECEIVED	63-88	00
		1	2402		011074		
	DATE OF INSPECTION		INSPECTOR				
	REMARKS		P <i>[Signature]</i> WI				

OWRC COPY

Measurements recorded in: ☐ Metric ☒ Imperial

Page of

Well Owner's Information

First Name Gilchak Holdings	Last Name / Organization Inc.	E-mail Address Unk.	☐ Well Constructed by Well Owner
Mailing Address (Street Number/Name) 141 Laurier Ave. W. Suite 1200		Municipality Ottawa	Province ON
		Postal Code K1P 5J3	Telephone No. (inc. area code) Unk.

Well Location

Address of Well Location (Street Number/Name) 1534 Perth Rd.		Township Kingston	Lot Pt. 6	Concession west of Cataragui River
County/District/Municipality Frontenac		City/Town/Village Kingston	Province Ontario	Postal Code Unk.
UTM Coordinates NAD 83 18	Zone 380572	Eastings 4903147	Municipal Plan and Sublot Number Other	

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (mft) From	Depth (mft) To
Brown	Clay	Stones	Packed	0	2
Brown	Limestone		Soft	2	12.6
Grey	Limestone		Hard	12.6	80

Annular Space			
Depth Set at (mft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)
12	0	Bentonite	7.0

Method of Construction	Well Use
☒ Cable Tool	☐ Public
☐ Rotary (Conventional)	☐ Domestic
☐ Rotary (Reverse)	☐ Livestock
☐ Boring	☐ Irrigation
☐ Air percussion	☐ Industrial
☐ Other, specify	☐ Other, specify
☐ Diamond	☒ Commercial
☐ Jetting	☐ Municipal
☐ Driving	☐ Test Hole
☐ Digging	☐ Cooling & Air Conditioning
☐ Not used	☐ Dewatering
☐ Monitoring	


Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (mft) From	To	
6.25	steel	.188	0	12.6	☒ Water Supply
					☐ Replacement Well
					☐ Test Hole
					☐ Recharge Well
					☐ Dewatering Well
					☐ Observation and/or Monitoring Hole
					☐ Alteration (Construction)
					☐ Abandoned, Insufficient Supply
					☐ Abandoned, Poor Water Quality
					☐ Abandoned, other, specify
					☐ Other, specify

Construction Record - Screen				Status of Well	
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (mft) From	To	

Water Details		Hole Diameter	
Water found at Depth (mft)	Kind of Water: ☐ Fresh ☒ Untested	Depth (mft) From	Diameter (cm/in)
17	☐ Gas ☐ Other, specify	0	12.6
70	☐ Gas ☐ Other, specify	12.6	80
	☐ Gas ☐ Other, specify		

Business Name of Well Contractor Chalk Well Drilling Ltd.		Well Contractor's Licence No. 1 5 0 7
Business Address (Street Number/Name) 31 Johnson Side Rd.		Municipality Napanee
Province Ontario	Postal Code K7R 3L1	Business E-mail Address chalkwel kos.net
Bus. Telephone No. (inc. area code) 613 888 2809	Name of Well Technician (Last Name, First Name) Chalk, Dan	
Well Technician's Licence No. T-3304	Signature of Technician and/or Contractor Dan Chalk	Date Submitted 2014 12 22

Results of Well Yield Testing			
Draw Down		Recovery	
Time (min)	Water Level (mft)	Time (min)	Water Level (mft)
1	42.4	1	68.8
2	44.2	2	64.0
3	44.9	3	59.2
4	45.4	4	55.0
5	45.9	5	51.7
10	47.3	10	42.6
15	47.9	15	40.5
20	49.9	20	39.9
25	51.7	25	39.5
30	54.4	30	39.2
40	61.3	40	38.9
50	67.4	50	38.7
60	73.8	60	38.5



Comments: This well was hydro fracked Dec. 18th 2014	
Well owner's information package delivered ☒ Yes ☐ No	Date Work Completed 2014 12 22
Ministry Use Only Audit No. Z198606 JAN 16 2015	

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All metre measurements shall be reported to 1/10th of a metre.
- Please print clearly in blue or black ink only.

Ministry Use Only

Address or Well Location (County/District/Municipality)

191 Dalton Ave

Township

City of KINGSTON

Lot

23

Concession

4

RR#/Street Number/Name

City/Town/Village

KINGSTON

Site/Compartment/Block/Tract etc.

GPS Reading

NAD

Zone

Easting

Northings

Unit Make/Model

Mode of Operation:

☐ Uncertified

☐ Averaged

☐ Differentiated, specify

Log of Overburden and Bedrock Materials (see instructions)

General Colour	Most common material	Other Materials	General Description	Depth From	Metres To
Gray	Limestone Fill	FILL	HARD, Dense, FILL	0'	5'
Gray	Clay		Soft Gley	5'	17'

NOTE: Well Cluster

Well depths 5 well total
12.5', 12.5', 17', 15', 15'

Hole Diameter		
Depth	Metres	Diameter
From	To	Centimetres
0'	5'	10"
5'	17'	8"

Water Record	
Water found at	Kind of Water
Metres	
1 m	☐ Fresh ☐ Sulphur
	☐ Gas ☐ Salty ☐ Minerals
	☐ Other:
1 m	☐ Fresh ☐ Sulphur
	☐ Gas ☐ Salty ☐ Minerals
	☐ Other:
1 m	☐ Fresh ☐ Sulphur
	☐ Gas ☐ Salty ☐ Minerals
	☐ Other:
After test of well yield, water was	
☐ Clear and sediment free	
☐ Other specify	
Chlorinated ☐ Yes ☐ No	

Construction Record				
Inside diam	Material	Well thickness	Depth	Metres
centimetres		centimetres	From	To
Casing				
2"	☒ Steel ☐ Fibreglass		0'	5'
	☐ Plastic ☐ Concrete			
	☐ Galvanized			
	☐ Steel ☐ Fibreglass			
	☐ Plastic ☐ Concrete			
	☐ Galvanized			
Screen				
2.2"	☒ Steel ☐ Fibreglass	Slot No.	15'	
	☐ Plastic ☐ Concrete			
	☐ Galvanized			
No Casing or Screen				
☐ Open hole				

Test of Well Yield			
Pumping test method	Draw Down	Recovery	
	Time min	Water Level Metres	Time min
			Water Level Metres
Pump intake set at - (metres)	Static Level		
Pumping rate - (litres/min)	1		
Duration of pumping - hrs + min	2		2
Final water level end of pumping - metres	3		3
Recommended pump type ☐ Shallow ☐ Deep	4		4
Recommended pump depth - metres	5		5
Recommended pump rate - (litres/min)	10		10
If flowing give rate - (litres/min)	15		15
If pumping discontinued, give reason.	20		20
	25		25
	30		30
	40		40
	50		50
	60		60

Plugging and Sealing Record		
Depth set at - Metres	Material and type (bentonite slurry, neat cement slurry) etc.	Volume Placed (cubic metres)
From	To	
15'	4'	#2 Sand Pack
4'	1'	3/8 bentonite Chips

Method of Construction			
☐ Cable Tool	☐ Rotary (air)	☐ Diamond	☐ Digging
☐ Rotary (conventional)	☒ Air percussion	☐ Jetting	☐ Other
☐ Rotary (reverse)	☒ Boring	☐ Driving	

Water Use			
☐ Domestic	☐ Industrial	☐ Public Supply	☒ Other
☐ Stock	☐ Commercial	☐ Not used	Monitoring well
☐ Irrigation	☐ Municipal	☐ Cooling & air conditioning	

Final Status of Well			
☐ Water Supply	☐ Recharge well	☐ Unfinished	☒ Abandoned (Other)
☐ Observation well	☐ Abandoned, insufficient supply	☐ Dewatering	
☐ Test Hole	☐ Abandoned, poor quality	☐ Replacement well	

Well Contractor/Technician Information	
Name of Well Contractor	Well Contractor's Licence No.
Jonathan Fillion	7323
Business Address (street name, number, city etc.)	
2778 ROUND LAKE RD BATTERSEA ONT	
Name of Well Technician (last name, first name)	Well Technician's Licence No.
Jonathan Fillion	TB315
Signature of Technician/Contractor	Date Submitted
	2005 12 14

Location of Well



Ministry Use Only	
Date Source	Contractor
	7323
Date Received	Date of Inspection
FEB 07 2006	
Remarks	Well Record Number

A034189

Instructions for Completing Form

- For use in the **Province of Ontario** only. This document is a permanent **legal** document. Please retain for future reference.
- All Sections **must** be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All **metre** measurements shall be reported to 1/10th of a metre.
- Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information

Ministry Use Only									
MUN						CON			LOT


RR#/Street Number/Name **191 Dalton Ave** City/Town/Village **Kingston** Site/Compartment/Block/Tract etc. **234**

GPS Reading NAD **83** Zone **18E** Easting **3840** Northing **N4902690** Unit Make/Model **Eagle** Mode of Operation: ☐ Undifferentiated ☐ Averaged ☐ Differentiated, specify

Log of Overburden and Bedrock Materials (see instructions)

General Colour	Most common material	Other Materials	General Description	Depth From	Metres To
Gray	Limestone fill	fill	Hard, Dense fill	0'	5'
Gray	Clay		Soft clay	5'	17'
Abandoned 5 well MW					
depth's 12.5', 12.5', 17', 15, 15					

Hole Diameter			Construction Record				Test of Well Yield			
Depth From	Metres To	Diameter Centimetres	Inside diam centimetres	Material	Well thickness centimetres	Depth From	Metres To	Pumping test method	Draw Down Time min	Recovery Time min
				2" ☒ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized						
				☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Gal						



Well Tag No. (Place Sticker and/or Print Below)
No tag hole decommissioned

Well Record

Measurements recorded in: ☐ Metric ☒ Imperial

Page 1 of 1

Well Owner's Information

First Name		Last Name / Organization		E-mail Address		☐ Well Constructed by Well Owner	
Gilchak Holdings		Inc.		Unk.			
Mailing Address (Street Number/Name)			Municipality	Province	Postal Code	Telephone No. (inc. area code)	
141 Laurier Ave. W. Suite 1200			Ottawa	Ontario	K1P 5J3	Unk.	

Well Location

Address of Well Location (Street Number/Name)				Township		Lot		Concession	
1534 Perth Rd.				Kingston		pt 9		West of Cataragui River	
County/District/Municipality				City/Town/Village		Province		Postal Code	
Frontenac				Kingston		Ontario		Unk.	
UTM Coordinates		Zone	Easting	Northing	Municipal Plan and Sublot Number		Other		
NAD 83		18	380610	4903146	R.P. Plan 68 Parts 3,4,5&6		Kingston Solar		

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

[illegible]

██████████ Abundant Record

Depth Set at (m/ft)	From	To	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)
120	90		Cement	4.2
90	30		Peastone	11.9
30	0		Bentonite	11.9

Results of Well Yield Testing

After test of well yield, water was:		Draw Down		Recovery	
		Time (min)	Water Level (mft)	Time (min)	Water Level (mft)
☐ Clear and sand free	☐ Other, specify _____	Static Level			
		1		1	
If pumping discontinued, give reason:		2		2	
Pump intake set at (mft)		3		3	
Pumping rate (l/min / GPM)		4		4	
Duration of pumping ____ hrs + ____ min		5		5	
Final water level end of pumping (mft)		10		10	
If flowing give rate (l/min / GPM)		15		15	
Recommended pump depth (mft)		20		20	
		25		25	
Recommended pump rate (l/min / GPM)		30		30	
		40		40	
Well production (l/min / GPM)		50		50	
1. gpm		60		60	
Disinfected?					
☒ Yes	☐ No				

Construction Record - Casino

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fiberglass, Concrete, Plastic, Steel)	Well Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
	Casing Removed				☐ Water Supply ☐ Replacement Well ☐ Test Hole ☐ Recharge Well ☐ Dewatering Well ☐ Observation and/or Monitoring Hole ☐ Alteration (Construction) ☒ Abandoned,

Construction Record - Screen

Outside Diameter (mm)	Material (Plastic, Galvanized Steel)	Slot No.	Depth (mm)	
			From	To

☐ Abandoned, Poor Water Quality
☐ Abandoned, other, specify _____
☐ Other, specify _____

Water Details


Water found at Depth		Kind of Water:		Depth (mft)		Diameter (cm)
		☐ Fresh	☐ Untested	From	To	
115 (mft)	☐ Gas	☐ Other, specify	salty	0	20	10
	☐ Gas	☐ Other, specify		10	101	6
	☐ Gas	☐ Other, specify		101	120	5.75

Well Contractor and Well Technician Information

Business Name of Well Contractor		Well Contractor's Licence No.	
Chalk Well Drilling Ltd.		1507	
Business Address (Street Number/Name)		Municipality	
31 Johnsons Side Rd.		Napanee	
Province	Postal Code	Business E-mail Address	
Ontario	K7R 3L1	chalkwel Kos.ner	
Bus. Telephone No. (inc. area code)		Name of Well Technician (Last Name, First Name)	
613-388-2809		Chalk, Kevin	
Well Technician's Licence No.	Signature of Technician and/or Contractor		Date Submitted
T-627	Kevin Chalk		2014/12/09

Map of Well Location

Please provide a map below following instructions on the back.



Comments

Well owner's information package delivered ☐ Yes ☐ No	Date Package Delivered	Ministry Use Only Audit No. Z198607 16 2015
	Date Work Completed 2014 12 09	

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All metre measurements shall be reported to 1/10th of a metre.
- Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information

First Name		Last Name		Mailing Address (Street Number/Name, RR, Lot, Concession)			
LAERAGE		MCARDOLANE		32 STACIE DRIVE			
County/District/Municipality		Township/City/Town/Village		Province		Postal Code	
FRONTENAC		OTTAWA		Ontario		K2K-2A9	
Address of Well Location (County/District/Municipality)				Township		Lot	
FRONTENAC				KINGSTON		26-27	
RR#/Street Number/Name				City/Town/Village		Site/Compartment/Block/Tract etc.	
						TW 4	
GPS Reading	NAD	Zone	Easting	North	Unit Make/Model	Mode of Operation:	
8.3	18	380417	4904204	MAGEHAN		☐ Undifferentiated ☒ Averaged ☐ Differentiated, specify	

Log of Overburden and Bedrock Materials (see instructions)

General Colour	Most common material	Other Materials	General Description	Depth From	Metres To
BLUE	LIMESTONE			0	10.7
BLACK	"			10.7	11.3
BLUE	LIMESTONE			11.3	32.6


Hole Diameter Depth: Metres Diameter: Centimetres From To From To 0 1 25.4 1 32.6 15.25			Construction Record <table border="1"> <tr> <th>Inside diam centimetres</th> <th>Material</th> <th>Wall thickness centimetres</th> <th>Depth From</th> <th>Metres To</th> </tr> <tr> <td>15.8</td> <td> ☒ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized </td> <td>.48</td> <td>0</td> <td>1</td> </tr> </table>			Inside diam centimetres	Material	Wall thickness centimetres	Depth From	Metres To	15.8	☒ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized	.48	0	1	Test of Well Yield <table border="1"> <tr> <th>Pumping test method</th> <th>Draw Down</th> <th>Recovery</th> </tr> <tr> <td>Pump intake set at - (metres)</td> <td>Time min Water Level Metres</td> <td>Time min Water Level Metres</td> </tr> <tr> <td>Pumping rate - (litres/min)</td> <td>1 1</td> <td>1 1</td> </tr> <tr> <td>Duration of pumping hrs + min</td> <td>2 2</td> <td>2 2</td> </tr> <tr> <td>Final water level end of pumping metres</td> <td>3 3</td> <td>3 3</td> </tr> <tr> <td>Recommended pump type ☐ Shallow ☐ Deep</td> <td>4 4</td> <td>4 4</td> </tr> <tr> <td>Recommended pump depth metres</td> <td>5 5</td> <td>5 5</td> </tr> <tr> <td>Recommended pump rate (litres/min)</td> <td>10 10</td> <td>10 10</td> </tr> <tr> <td>If flowing give rate (litres/min)</td> <td>15 15</td> <td>15 15</td> </tr> <tr> <td>If pumping discontinued, give reason</td> <td>20 20</td> <td>20 20</td> </tr> <tr> <td></td> <td>25 25</td> <td>25 25</td> </tr> <tr> <td></td> <td>30 30</td> <td>30 30</td> </tr> <tr> <td></td> <td>40 40</td> <td>40 40</td> </tr> <tr> <td></td> <td>50 50</td> <td>50 50</td> </tr> <tr> <td></td> <td>60 60</td> <td>60 60</td> </tr> </table>			Pumping test method	Draw Down	Recovery	Pump intake set at - (metres)	Time min Water Level Metres	Time min Water Level Metres	Pumping rate - (litres/min)	1 1	1 1	Duration of pumping hrs + min	2 2	2 2	Final water level end of pumping metres	3 3	3 3	Recommended pump type ☐ Shallow ☐ Deep	4 4	4 4	Recommended pump depth metres	5 5	5 5	Recommended pump rate (litres/min)	10 10	10 10	If flowing give rate (litres/min)	15 15	15 15	If pumping discontinued, give reason	20 20	20 20		25 25	25 25		30 30	30 30		40 40	40 40		50 50	50 50		60 60	60 60
Inside diam centimetres	Material	Wall thickness centimetres	Depth From	Metres To																																																											
15.8	☒ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized	.48	0	1																																																											
Pumping test method	Draw Down	Recovery																																																													
Pump intake set at - (metres)	Time min Water Level Metres	Time min Water Level Metres																																																													
Pumping rate - (litres/min)	1 1	1 1																																																													
Duration of pumping hrs + min	2 2	2 2																																																													
Final water level end of pumping metres	3 3	3 3																																																													
Recommended pump type ☐ Shallow ☐ Deep	4 4	4 4																																																													
Recommended pump depth metres	5 5	5 5																																																													
Recommended pump rate (litres/min)	10 10	10 10																																																													
If flowing give rate (litres/min)	15 15	15 15																																																													
If pumping discontinued, give reason	20 20	20 20																																																													
	25 25	25 25																																																													
	30 30	30 30																																																													
	40 40	40 40																																																													
	50 50	50 50																																																													
	60 60	60 60																																																													
Water Record Water found at Metres / Kind of Water ☐ m ☐ Fresh ☐ Sulphur ☐ Gas ☐ Salty ☐ Minerals ☐ Other: _____ ☐ m ☐ Fresh ☐ Sulphur ☐ Gas ☐ Salty ☐ Minerals ☐ Other: _____ ☐ m ☐ Fresh ☐ Sulphur ☐ Gas ☐ Salty ☐ Minerals ☐ Other: _____ After test of well yield, water was ☐ Clear and sediment free ☐ Other, specify _____ Chlorinated ☐ Yes ☒ No			Screen Outside diam ☐ Steel ☐ Fibreglass ☐ Plastic ☐ Concrete ☐ Galvanized Slot No. _____ No Casing or Screen ☒ Open hole																																																												

Plugging and Sealing Record Depth set at - Metres From To Material and type (bentonite slurry, neat cement slurry) etc. Volume Placed (cubic metres)		
Method of Construction ☐ Cable Tool ☐ Rotary (air) ☐ Diamond ☐ Digging ☐ Rotary (conventional) ☒ Air percussion ☐ Jetting ☐ Other ☐ Rotary (reverse) ☐ Boring ☐ Driving		
Water Use ☐ Domestic ☐ Industrial ☐ Public Supply ☐ Other ☐ Stock ☐ Commercial ☐ Not used ☐ Irrigation ☐ Municipal ☐ Cooling & air conditioning		
Final Status of Well ☐ Water Supply ☐ Recharge well ☐ Unfinished ☐ Abandoned, (Other) ☐ Observation well ☐ Abandoned, insufficient supply ☐ Dewatering ☒ MONITOR ☐ Test Hole ☐ Abandoned, poor quality ☐ Replacement well		

Well Contractor/Technician Information Name of Well Contractor JACK KNOX WELLDRILLING Business Address (street name, number, city etc.) GLENBURNIE Name of Well Technician (last name, first name) KNOX JOHN Signature of Technician/Contractor x Ron Knox		Well Contractor's Licence No. 3202 Well Technician's Licence No. 2879 Date Submitted yyyy mm dd	
---	--	--	--

Location of Well In diagram below show distances of well from road, lot line, and building. Indicate north by arrow. Civic # 1338 700m MCARDOLANE		Audit No. 48105 Date Well Completed yyyy mm dd 07 1 88 Was the well owner's information package delivered? ☐ Yes ☐ No Date Delivered yyyy mm dd	
--	--	---	--

Ministry Use Only Data Source Date Received yyyy mm dd MAR 05 2007 Remarks		Contractor 3202 Date of Inspection yyyy mm dd Well Record Number	
--	--	--	--



NO TAG

Regulation 903 Ontario Water Resources Act

Measurements recorded in: ☐ Metric ☒ Imperial

Page of

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner	
CATARAUGUS REGION CONSERVATION AUTHORITY				
Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. (inc. area code)
1641 PERRY R.D.	GLENBURNIE	ONT	K9A 1S0	613 546 5225

Well Location

Address of Well Location (Street Number/Name) 1641 PERTH R.D.		Township KINGSTON	Lot 25	Concession 4
County/District/Municipality FRONTENAC		City/Town/Village GREENBURNIE	Province Ontario	Postal Code K0A1S0
UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number
NAD	83	18379662	4904448	

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

[illegible]

Annular Space

Depth Set at (mft)		Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)
From	To		

Results of Well Yield Testing

After test of well yield, water was:		Draw Down		Recovery	
☐ Clear and sand free ☐ Other, specify _____		Time (min)	Water Level (m/tt)	Time (min)	Water Level (m/tt)
If pumping discontinued, give reason:		Static Level			
		1		1	
Pump intake set at (m/tt)		2		2	
Pumping rate (l/min / GPM)		3		3	
Duration of pumping ____ hrs + ____ min		4		4	
Final water level end of pumping (m/tt)		5		5	
If flowing give rate (l/min / GPM)		10		10	
Recommended pump depth (m/tt)		15		15	
		20		20	
		25		25	
Recommended pump rate (l/min / GPM)		30		30	
Well production (l/min / GPM)		40		40	
		50		50	
Disinfected?		60		60	
☒ Yes ☐ No					

Method of Construction

☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial	☐ Not used
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal	☐ Dewatering
☐ Rotary (Reverse)	☐ Drilling	☐ Livestock	☐ Test Hole	☐ Monitoring
☐ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning	
☐ Air percussion		☐ Industrial		
☐ Other, specify _____		☐ Other, specify _____		

Well Use

☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial	☐ Not used
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal	☐ Dewatering
☐ Rotary (Reverse)	☐ Drilling	☐ Livestock	☐ Test Hole	☐ Monitoring
☐ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning	
☐ Air percussion		☐ Industrial		
☐ Other, specify _____		☐ Other, specify _____		

Construction Record - Casing

Inside Diameter (mm)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (mm)	Depth (mR)		
			From	To	
					☐ Water Supply
					☐ Replacement Well
					☐ Test Hole
					☐ Recharge Well
					☐ Dewatering Well
					☐ Observation and/or Monitoring Hole
					☐ Alteration (Construction)
					☐ Abandoned

Status of Well

Inside Diameter (mm)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (mm)	Depth (mR)		
			From	To	
					☐ Water Supply
					☐ Replacement Well
					☐ Test Hole
					☐ Recharge Well
					☐ Dewatering Well
					☐ Observation and/or Monitoring Hole
					☐ Alteration (Construction)
					☐ Abandoned

Construction Record - Screen

Outside Diameter (mm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (mm/in)		☐ Abandoned, Poor Water Quality ☒ Abandoned, other, specify <i>CAS in G. BOTTLE</i> ☐ Other, specify
			From	To	

Map of Well Location

Please provide a map below following instructions on the back.

Water Details

Water found at Depth (mft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify _____	Depth (mft)		Diameter (mft)
		From	To	
Water found at Depth (mft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify _____			
Water found at Depth (mft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify _____			
Water found at Depth (mft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify _____			

Hole Diameter

Water found at Depth (mft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify _____	Depth (mft)		Diameter (mft)
		From	To	
Water found at Depth (mft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify _____			
Water found at Depth (mft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify _____			
Water found at Depth (mft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify _____			

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
JACK KNOX WELL DRILLING	3 2 0 2
Business Address (Street Number/Name)	Municipality
2580 PERTH R.D.	GLENBURNIE

Province	Postal Code	Business E-mail Address
ONT	K10H1S0	
Bus. Telephone No. (inc. area code)	Name of Well Technician (Last Name, First Name)	
416 546 6164	Knox Ron	

Comments:

Well owner's information package delivered	Date Package Delivered	Ministry Use Only
	Date Work Completed	
☐ Yes ☐ No	2011/11/17 30/11/11	Audit No. z 131247 JAN 23 2012

Measurements recorded in: ☐ Metric ☒ Imperial

Page _____ of _____

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner	
CATARAQUI REGION CONSERVATION AUTHORITY				
Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. (inc. area code)
1641 PERTH R.D. BOX 160	GLENBURNIE ONT	KICH	K1H 1S0	613 546 4228
Well Location				
Address of Well Location (Street Number/Name)		Township	Lot	Concession
1641 PERTH R.D.		KINGSTON	25	4
County/District/Municipality		City/Town/Village	Province	Postal Code
FRONTENAC		GLENBURNIE	Ontario	K1H 1S0
UTM Coordinates Zone Easting Northing		Municipal Plan and Sublot Number		
NAD 83 18 37 9660 490 4446				

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (mft)	From	To
BLUE	CLAY			0	66.5	
RED	GRANITE			66.5	74	
Brownish	SANDSTONE			74	105	
GREY	GRANITE			105	120	

Annular Space			
Depth Set at (mft)	Type of Sealant Used (Material and Type)	Volume Placed (m³)	
69 0	CEMENT	25	

Method of Construction		Well Use	
☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☐ Test Hole
☐ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning
☒ Air percussion		☐ Industrial	
☐ Other, specify		☐ Other, specify	

Construction Record - Casing				Status of Well	
Inside Diameter (cm)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (mm)	Depth (mft)	From	To
64"	STEEL	188	+2	69	
6"	OPEN HOLE		69	120	

Construction Record - Screen				Status of Well	
Outside Diameter (cm)	Material (Plastic, Galvanized, Steel)	Sit No.	Depth (mft)	From	To

Water Details		Hole Diameter	
Water found at Depth (mft)	Kind of Water: ☐ Fresh ☒ Untested	Depth (mft)	Diameter (cm)
108 (mft)	☐ Gas ☐ Other, specify	From To	
114 (mft)	☐ Gas ☐ Other, specify	0 69 10"	
	☐ Gas ☐ Other, specify	69 120 6"	

Business Name of Well Contractor		Well Contractor's Licence No.	
JACK KNOX WELLDRILLING		3 20 2	
Business Address (Street Number/Name)		Municipality	
2580 PERTH R.D.		GLENBURNIE	
Province	Postal Code	Business E-mail Address	
ONT	K1H 1S0		
Bus. Telephone No. (inc. area code)		Name of Well Technician (Last Name, First Name)	
613 546 6164		KNOX RON	
Well Technician's Licence No.		Signature of Technician and/or Contractor	
0 0 4 1		RON KNOX	

Results of Well Yield Testing					
After test of well yield, water was:		Draw Down		Recovery	
☒ Clear and sand free ☐ Other, specify _____		Time (min)	Water Level (mft)	Time (min)	Water Level (mft)
If pumping discontinued, give reason:		Static Level	0		
Pump intake set at (mft)		1	6	1	49.9
Pumping rate (l/min / GPM)		2	9	2	46.1
Duration of pumping		3	11.2	3	43.4
1 hrs + 0 min		4	13.2	4	40.9
Final water level end of pumping (mft)		5	15.1	5	37.9
If flowing give rate (l/min / GPM)		10	24.9	10	29
Recommended pump depth (mft)		15	31.8	15	20.4
Recommended pump rate (l/min / GPM)		20	37	20	12.9
Well production (l/min / GPM)		25	41.1	25	6.5
Disinfected?		30	44.1	30	2.4
☒ Yes ☐ No		40	50	40	1.1
		50	52.3	50	0
		60	53.8	60	0

Map of Well Location	
Please provide a map below following instructions on the back.	
Comments:	
Well owner's information package delivered	Date Package Delivered
☐ Yes ☐ No	2011/11/17
Date Work Completed	2011/11/17
Ministry Use Only	
Audit No.	2131246
JAN 23 2012	

Print only in spaces provided.
Mark correct box with a checkmark, where applicable.

11

2213436

Municipality 22009 Con. CAN 04

County or District **FRONTENAC** Township/Borough/City/Town/Village **KINGSTON** Con. block tract survey, etc. **4 (T.W.-9)** Lot **25**
Owner's surname **KINGSTON TOWNSHIP** First name **[REDACTED]** Address **C/O Oliver, Mangione, McColla & Associates** Date completed **30 10 95**
Zone Easting Northing PC Elevation AC Basin Code

21 22 23 24 25 26 27 28 29 30 31 32

LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions)

General colour	Most common material	Other materials	General description	Depth - feet	
				From	To
Blue	Limestone		Broken	0	4
Blue	Limestone			4	125
Green	Limestone			125	138
Blue	Limestone			138	175
Green	Limestone			175	195
Green-Red	Sandstone		mixed	195	200
Green-Red	Sandstone		mixed	200	202
Red-Gray	Granite			202	210

NOV. 30, 1995 and Dec 4, 1995
Installed 2 Piezometers in T.W. 9 Hole
Bottom screen set at 195'-180 ft. Top screen set at 135'-125 ft.

31 32

41 WATER RECORD

Water found at - feet	Kind of water
10-15	☐ Fresh ☐ Sulphur ☐ Minerals ☐ Gas
15-18	☐ Fresh ☐ Sulphur ☐ Minerals ☐ Gas
18-20	☐ Fresh ☐ Sulphur ☐ Minerals ☐ Gas
20-22	☐ Fresh ☐ Sulphur ☐ Minerals ☐ Gas
22-25	☐ Fresh ☐ Sulphur ☐ Minerals ☐ Gas
25-30	☐ Fresh ☐ Sulphur ☐ Minerals ☐ Gas

42 CASING & OPEN HOLE RECORD

Inside diam. inches	Material	Wall thickness inches	Depth - feet	
			From	To
6 1/4	☒ Steel ☐ Galvanized ☐ Concrete ☐ Open hole ☐ Plastic	3/16	0	22
11-18	☐ Steel ☐ Galvanized ☐ Concrete ☐ Open hole ☐ Plastic			
24-25	☐ Steel ☐ Galvanized ☐ Concrete ☐ Open hole ☐ Plastic			

43 SCREEN

Size of opening (Slot No.)	Diameter inches	Length feet
Material and type		Depth at top of screen feet

44 PLUGGING & SEALING RECORD

Annular space		Abandonment
Depth set at - feet		Material and type (Cement grout, bentonite, etc.)
From	To	
22	2	Annular Cement Pressure Grout
2-21	20-25	
20-24	20-25	

45 PUMPING TEST

Pumping test method	Pumping rate GPM	Duration of pumping
☐ Pump ☐ Baler		Hours Mins
Static level	Water level and of pumping	Water levels during
		☐ Pumping ☐ Recovery
10-11	11-21	15 minutes 20-28 30 minutes 23-31 45 minutes 30-38 60 minutes 35-37
feet	feet	feet
If flowing give rate GPM		Pump intake set at feet
Recommended pump type		Water at end of test
☐ Shallow ☐ Deep		☐ Clear ☐ Cloudy
Recommended pump setting		Recommended pump rate GPM
		feet

46 FINAL STATUS OF WELL

☒ Water supply	☐ Abandoned, insufficient supply	☐ Unfinished
☐ Observation well	☐ Abandoned, poor quality	☐ Replacement well
☐ Test hole	☐ Abandoned (Other)	
☐ Recharge well	☐ Dewatering	

47 WATER USE

☐ Domestic	☐ Commercial	☐ Not used
☐ Stock	☐ Municipal	☒ Other
☐ Irrigation	☐ Public supply	Monitoring well
☐ Industrial	☐ Cooling & air conditioning	

48 METHOD OF CONSTRUCTION

☐ Cable tool	☒ Air percussion	☐ Driving
☐ Rotary (conventional)	☐ Boring	☐ Clipping
☐ Rotary (reverse)	☐ Diamond	☐ Other
☐ Rotary (air)	☐ Jetting	

49 LOCATION OF WELL

In diagram below show distances of well from road and lot line. Indicate north by arrow.

Small amount of Gas. 164558

50 Name of Well Contractor **Jack Knox Well Drilling** Well Contractor's Licence No. **3202**
Address **Glenora, Ontario**
Name of Well Technician **Ron Knox** Well Technician's Licence No. **T-0041**
Signature of Technician/Contractor **Jack Knox** Submission date **day mo yr**

MINISTRY USE ONLY

Date source	Contractor 3202	Date received
Date of inspection	Inspector	JAN 12 1996
Remarks		

CSS.ES

Measurements recorded in: ☐ Metric ☒ Imperial

Page ____ of ____

Well Owner's Information

First Name: GILCHAK HOLDINGS INC. Last Name / Organization: E-mail Address: UNK ☐ Well Constructed by Well Owner

Mailing Address (Street Number/Name): 141 Laurier Ave. W., Suite 1200 Municipality: Ottawa Province: Ontario Postal Code: K1P 5J3 Telephone No. (inc. area code): UNK

Well Location

Address of Well Location (Street Number/Name): 1534 Perth Road Township: Kingston Lot: Pt. 9 Concession: West of Cataract River

County/District/Municipality: Frontenac City/Town/Village: Kingston Province: Ontario Postal Code: UNK

UTM Coordinates: Zone: Easting: Northing: Municipal Plan and Sublot Number: Other: R. P. Plan 68, Parts 3,4,5,86 Kingston Solar

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)
Brown	Clay		Packed	0 15
Grey	Limestone		Hard	15 101

Annular Space				Results of Well Yield Testing			
Depth Set at (m/ft)	From	To	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)	After test of well yield, water was:	Draw Down	Recovery
20	0		Bentonite	7.0	☒ Clear and sand free ☐ Other, specify _____	Time (min)	Water Level (m/ft)
					If pumping discontinued, give reason	Static Level	
					Pump intake set at (m/ft)	1	33.3
					98	2	35.4
					Pumping rate (l/min / GPM)	3	36.5
					15 g.p.m.	4	37.1
					Duration of pumping	5	37.5
					1 hrs + 0 min	10	38.2
					Final water level end of pumping (m/ft)	15	38.5
					39.2	20	38.6
					If flowing give rate (l/min / GPM)	25	38.7
					Recommended pump depth (m/ft)	30	38.8
					98	40	39.0
					Recommended pump rate (l/min / GPM)	50	39.1
					15 g.p.m.	60	39.2
					Well production (l/min / GPM)		
					+ 15 g.p.m.		
					Disinfected?		
					☒ Yes ☐ No		

Method of Construction				Well Use			
☐ Cable Tool	☐ Diamond	☐ Public	☒ Commercial	☐ Not used			
☒ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal	☐ Dewatering			
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☐ Test Hole	☐ Monitoring			
☐ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning				
☒ Air percussion		☐ Industrial					
☐ Other, specify _____		☐ Other, specify _____					

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Well Thickness (cm/in)	Depth (m/ft)	From	To
6.25	Steel	.188	0	20	

Construction Record - Screen				Status of Well	
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	From	To

Water Details				Hole Diameter	
Water found at Depth (m/ft)	Kind of Water:	☐ Fresh ☒ Untested	Depth (m/ft)	From	To
42	☐ Gas ☐ Other, specify _____		0	20	10"
83	☐ Gas ☐ Other, specify _____		20	101	6"
	☐ Gas ☐ Other, specify _____				
	☐ Gas ☐ Other, specify _____				
	☐ Gas ☐ Other, specify _____				

Well Contractor and Well Technician Information			
Business Name of Well Contractor	Well Contractor's Licence No.		
Chalk Well Drilling Ltd.	1 5 0 7		
Business Address (Street Number/Name)	Municipality		
31 Johnson's Side Road	Napanee		
Province	Postal Code	Business E-mail Address	
Ontario	K7R 3L1	chalkwel kos.net	
Bus. Telephone No. (inc. area code)	Name of Well Technician (Last Name, First Name)		
613 388-2809	Chalk, Kevin		
Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted	
0 6 2 7	Kevin Chalk	2014 07 16	

Map of Well Location

Please provide a map below following instructions on the back.

Force Line to North
XXXXXX XXXXX XXXXX

#1534

315 yds

335 yds

0

N

Ministry Use Only	
Audit No.	
2 179571	
Received	OCT 08 2014
Well owner's information package delivered	
☐ Yes ☒ No	
Date Package Delivered	
2014 07 16	
Date Work Completed	
2014 07 16	

UTM 5 R 0275

22 N° 605

The Ontario Water Resources Commission Act

Elev. 5 R 0275

WATER WELL RECORD

Basin 24 FRONTENAC

County or District

Township, Village, Town or City

KINGSTONCon. Lot

Date completed

21

(day)

JUNE

month

67

year

Address KINGSTON

Casing and Screen Record

Inside diameter of casing 7"
 Total length of casing 26'
 Type of screen —
 Length of screen —
 Depth to top of screen —
 Diameter of finished hole 6" (THROUGH ROCK)

Pumping Test

Static level 12'
 Test-pumping rate 17 I.G.P.M.
 Pumping level FULL CAPACITY
 Duration of test pumping 2 HRS.
 Water clear or cloudy at end of test CLEAR
 Recommended pumping rate 15 I.G.P.M.
 with pump setting of 140 feet below ground surface

Well Log

Water Record

Overburden and Bedrock Record

From
ft.To
ft.Depth(s) at
which water(s)
foundKind of water
(fresh, salty,
sulphur)BLUE CLAY026GREY LIMESTONE2670BROWN"7072GREENSHALE7273140BROWNLIMESTONE7381GREENSHALE81147TRACE
OF
SULPHURFor what purpose(s) is the water to be used? TEST WELLMOTOR HOTEL GROUNDSIs well on upland, in valley, or on hillside? UPLAND

Drilling or Boring Firm

CANADIAN INGERSOLL-RANDCO LTD.

Address

620 CATHCART MONTREAL

Licence Number

Name of Driller or Borer R. L. CLARK

Address


Date

Robert J. Clark Sr.

(Signature of Licensed Drilling or Boring Contractor)

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



m 7 15M-60-4138

C COPY

NOTE. DEMONSTRATION WELL
AT C.W.W.C.A. CONVENTION

Measurements recorded in: ☒ Metric ☐ Imperial

Page 1 of 1

Well Owner's Information

First Name Dorellan Pools LTD.	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
Mailing Address (Street Number/Name) 1472 McAdams Lane	Municipality Kingston	Province ON	Postal Code K0H1S0
Telephone No. (inc. area code)			

Well Location

Address of Well Location (Street Number/Name) 1472 McAdams Lane	Township City of Kingston	Lot	Concession
County/District/Municipality Frontenac	City/Town/Village Kingston	Province Ontario	Postal Code K0H1S0
UTM Coordinates Zone NAD 83 18	Easting 3610536	Northing 4904231	Municipal Plan and Sublot Number
Other			

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (mft)
Grey	Gravel	Sand	Fill	0 0.91m
Grey	Limestone		Fractured	0.91 5.18m


Annular Space			
Depth Set at (mft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)	
0 0.3m	Cement		
0.3 1.63m	Bentonite		
1.63 5.18m	Sand		

Method of Construction		Well Use	
☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☐ Test Hole
☒ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning
☒ Air percussion		☐ Industrial	
☐ Other, specify		☐ Other, specify	

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fiberglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (mft)	From	To
15.57	Aluminum	0.32	0	0.3m	
5.08	Plastic	0.47	0	2.13	
☐ Water Supply ☐ Replacement Well ☐ Test Hole ☐ Recharge Well ☐ Dewatering Well ☒ Observation and/or Monitoring Hole ☐ Abandonment (Construction) ☐ Abandonment, Insufficient Supply ☐ Abandonment, Poor Water Quality ☐ Abandonment, other, specify ☐ Other, specify					

Construction Record - Screen				Status of Well	
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (mft)	From	To
6.03	Plastic	0.10	2.13	5.18	
☐ Other, specify					

Water Details		Hole Diameter	
Water found at Depth (mft)	Kind of Water: ☐ Fresh ☒ Untested	Depth (mft)	Diameter (cm/in)
0 (mft) ☐ Gas ☐ Other, specify		0 0.91	15.24
Water found at Depth (mft) ☐ Gas ☐ Other, specify		0.91 5.18	11.43
Water found at Depth (mft) ☐ Gas ☐ Other, specify			

Well Contractor and Well Technician Information	
Business Name of Well Contractor GET Drilling LTD	Well Contractor's Licence No. 71083
Business Address (Street Number/Name) 274 Drive-In RD	Municipality Napanee
Province ON	Postal Code K7P3L4
Business E-mail Address getdrilling@mycanda.ca	
Bus. Telephone No. (inc. area code) 613 354 4767	Name of Well Technician (Last Name, First Name) Turnbull, Mike
Well Technician's Licence No. 31042	Signature of Technician and/or Contractor 
Date Submitted 2019/09/16	

Results of Well Yield Testing			
After test of well yield, water was:		Draw Down	
☐ Clear and sand free		Time (min)	Water Level (mft)
☐ Other, specify		Static Level	Recovery
☒ Pumping discontinued, give reason: NOT TESTED		1	1
Pump intake set at (mft)		2	2
Pumping rate (l/min / GPM)		3	3
Duration of pumping hrs + min		4	4
Final water level end of pumping (mft)		5	5
If flowing give rate (l/min / GPM)		10	10
Recommended pump depth (mft)		15	15
Recommended pump rate (l/min / GPM)		20	20
Well production (l/min / GPM)		25	25
Disinfected? ☐ Yes ☒ No		30	30
		40	40
		50	50
		60	60

Map of Well Location							
Please provide a map below following instructions on the back.							
							
Comments:							
<table border="1"> <tr> <th>Well owner's information package delivered</th> <th>Date Package Delivered</th> <th>Ministry Use Only</th> </tr> <tr> <td>☐ Yes ☒ No</td> <td>Y/Y/M/M/D/D 2019/09/03</td> <td>Audit No. 322938 Received OCT 1 2019</td> </tr> </table>		Well owner's information package delivered	Date Package Delivered	Ministry Use Only	☐ Yes ☒ No	Y/Y/M/M/D/D 2019/09/03	Audit No. 322938 Received OCT 1 2019
Well owner's information package delivered	Date Package Delivered	Ministry Use Only					
☐ Yes ☒ No	Y/Y/M/M/D/D 2019/09/03	Audit No. 322938 Received OCT 1 2019					

Measurements recorded in: ☒ Metric ☐ Imperial

Well Tag No. (Place Sticker and/or Print Below)

A 214581

Well Record

Regulation 903 Ontario Water Resources Act

Page 1 of 1

Well Owner's Information

First Name	Last Name (Organization)	E-mail Address		☐ Well Constructed by Well Owner
	1799760 Ontario Inc.	francis.trudel2@gmail.com		
Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. (inc. area code)
1010 Polytek Street Unit 9	Ottawa	Ontario	K1J 1G4	613 695 2406

Well Location

Address of Well Location (Street Number/Name) 46 Wawa Crescent				Township Kingston City		Lot 24		Concession 3	
County/District/Municipality Fraser				City/Town/Village Kingston		Province Ontario		Postal Code K7K6Z5	
UTM Coordinates		Zone	Easting	Northing		Municipal Plan and Sublot Number		Other	
NAD		83	118	3180816	49025813				

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
	abandon well		bedstone	5.0	0

Annular Space

Depth Set at (m/f) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /yd ³)

Results of Well Yield Testing

Results of well draw testing				
After test of well yield, water was: ☐ Clear and sand free ☐ Other, specify _____	Draw Down		Recovery	
	Time (min)	Water Level (mft)	Time (min)	Water Level (mft)
If pumping discontinued, give reason:	Static Level			
	1		1	
Pump intake set at (mft)	2		2	
Pumping rate (l/min / GPM)	3		3	
Duration of pumping ____ hrs + ____ min	4		4	
	5		5	
Final water level end of pumping (mft)	10		10	
If flowing give rate (l/min / GPM)	15		15	
	20		20	
Recommended pump depth (mft)	25		25	
	30		30	
Recommended pump rate (l/min / GPM)	40		40	
Well production (l/min / GPM)	50		50	
	60		60	
Disinfected? ☐ Yes ☐ No				

Construction Record - Casino

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fiberglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		Status or Use
			From	To	
					☐ Water Supply
					☐ Replacement Well
					☐ Test Hole
					☐ Recharge Well
					☐ Dewatering Well
					☐ Observation and/or Monitoring Hole
					☐ Alteration (Construction)
					☐ Abandoned

Statue of Wolf

☐ Water Supply
☐ Replacement Well
☐ Test Hole
☐ Recharge Well
☐ Dewatering Well
☐ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, specify _____
☐ Other, specify _____

Construction Record - Screen

Outside Diameter (mm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (mm)	
			From	To

☐ Abandoned, Poor Water Quality
☐ Abandoned, other, specify _____
☐ Other, specify _____

Water Details

Water Sample		Hole Diameter	
Water found at Depth (m/f)	Kind of Water: ☐ Fresh ☐ Untested ☐ Gas ☐ Other, specify _____	Depth (m/f) From	To Diameter (mm)
Water found at Depth (m/f)	Kind of Water: ☐ Fresh ☐ Untested ☐ Gas ☐ Other, specify _____		
Water found at Depth (m/f)	Kind of Water: ☐ Fresh ☐ Untested ☐ Gas ☐ Other, specify _____		

Hole Diameter

Depth (mft)			Diameter (mm)
From	To		

Well Contractor and Well Technician Information

Business Name of Well Contractor Marchelken Water Technology		Well Contractor's Licence No. 37510
Business Address (Street Number/Name) 388 Millhaven Road		Municipality Oshawa
Province Ontario	Postal Code K0H2H0	Business E-mail Address info@mmwater.ca
Bus. Telephone No. (inc. area code) 613/38161550	Name of Well Technician (Last Name, First Name) Schwarz Keith	
Well Technician's Licence No. 271310	Signature of Technician and/or Contractor 	Date Submitted 2014/19/10/14

Map of Well Location

Please provide a map below following instructions on the back.

Dalter Avenue

Comments:

Well owner information package delivered

☐ Yes

☐ No

Date Package Delivered									
Y	Y	Y	Y	M	M	D	D		
Date Work Completed									
2	0	1	8	1	0	1	0		

Ministry Use Only

Audit No. **Z297080**
MAY 07 2019
Received



Well Tag No. (Place Sticker and/or Print Below)

Taq#: A146405

Well Record

Page 1 of 3

Measurements recorded in: ☒ Metric ☐ Imperial

Well Owner's Information

First Name		Last Name / Organization		E-mail Address		☐ Well Constructed by Well Owner	
		8413525 ONTARIO INC.					
Mailing Address (Street Number/Name)		Municipality		Province		Postal Code	
PH-05, 233 South Park RD		Markham		ON		L3T0B3	
Well Location		Township		Lot		Concession	
Address of Well Location (Street Number/Name)		City/Town/Village					
1213 Division St.		Kingston					
County/District/Municipality		Province		Postal Code			
Frontenac County		Ontario		K7K5W4			
UTM Coordinates Zone Easting Northing		Municipal Plan and Sublot Number		Other			
NAD 83 18 380427 4902610							

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
				From	To
Brown	Sand	Gravel	Packed, Fill	0	0.91
Brown	clay	silty	Dry	0.91	3.66
Grey	clay	silty	Wet	3.66	6.10

Annular Space

Depth Set at (m/ft)		Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)
From	To		
0	0.30	Flushcover w/Cement	
0.30	2.74	Bentonite chips	
2.74	6.10	Sand #3	

Method of Construction

- | | | | | |
|--|----------------------------------|---|---|--|
| ☐ Cable Tool | ☐ Diamond | ☐ Public | ☐ Commercial | ☐ Not used |
| ☐ Rotary (Conventional) | ☐ Jetting | ☐ Domestic | ☐ Municipal | ☐ Dewatering |
| ☐ Rotary (Reverse) | ☐ Driving | ☐ Livestock | ☐ Test Hole | ☒ Monitoring |
| ☒ Boring | ☐ Digging | ☐ Irrigation | ☐ Cooling & Air Conditioning | |
| ☐ Air percussion | | ☐ Industrial | | |
| ☐ Other, specify _____ | | ☐ Other, specify _____ | | |

Wall Use

- | | | | | |
|--|----------------------------------|---|---|--|
| ☐ Cable Tool | ☐ Diamond | ☐ Public | ☐ Commercial | ☐ Not used |
| ☐ Rotary (Conventional) | ☐ Jetting | ☐ Domestic | ☐ Municipal | ☐ Dewatering |
| ☐ Rotary (Reverse) | ☐ Driving | ☐ Livestock | ☐ Test Hole | ☒ Monitoring |
| ☒ Boring | ☐ Digging | ☐ Irrigation | ☐ Cooling & Air Conditioning | |
| ☐ Air percussion | | ☐ Industrial | | |
| ☐ Other, specify _____ | | ☐ Other, specify _____ | | |

Construction Record - Casino

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Well Thickness (cm/in)	Depth (m/ft)		Status of Well
			From	To	
5.08	Plastic	sch 40	0	3.05	☐ Water Supply ☐ Replacement Well ☐ Test Hole ☐ Recharge Well ☐ Dewatering Well ☒ Observation (and/or Monitoring) Hole ☐ Alteration (Construction) ☐ Abandoned
17.78	Steel Cover	0.32 in	0	0.30	

Construction Record - Screen

Outside Diameter (mm)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (mm)		
			From	To	
5.08	Plastic	0.10	3.05	6.10	☐ Abandoned, Poor Water Quality ☐ Abandoned, other, specify _____ ☐ Other, specify _____

Water Details

Water found at Depth		Kind of Water:	Fresh	Untested	Depth (mft)	Diameter (in)
From	To					
3.66		(mft)	☐ Gas	☐ Other, specify		
		(mft)	☐ Gas	☐ Other, specify	0	0.30
		(mft)	☐ Gas	☐ Other, specify	0.30	6.10
		(mft)	☐ Gas	☐ Other, specify		21.59
		(mft)	☐ Gas	☐ Other, specify		16.51

Hole Diameter

Water found at Depth		Kind of Water:	Fresh	Untested	Depth (mft)	Diameter (in)
From	To					
3.66		(mft)	☐ Gas	☐ Other, specify		
		(mft)	☐ Gas	☐ Other, specify	0	0.30
		(mft)	☐ Gas	☐ Other, specify	0.30	6.10
		(mft)	☐ Gas	☐ Other, specify		21.59
		(mft)	☐ Gas	☐ Other, specify		16.51

Well Contractor and Well Technician Information


Business Name of Well Contractor G.F.T. Drilling LTD.		Well Contractor's Licence No. 7085	
Business Address (Street Number/Name) 278 Drive-In Rd		Municipality Naperville	
Province ON	Postal Code K7R3L1	Business E-mail Address getdrilling@mycanda.ca	
Bus. Telephone No. (inc. area code) 6133544767	Name of Well Technician (Last Name, First Name) Turnbull, Mike		
Well Technician's Licence No. 3042	Signature of Technician and/or Contractor 		Date Submitted 2014/05/26

Results of Well Yield Testing

Results of Well Field Testing		Draw Down		Recovery	
After test of well yield, water was:		Time (min)	Water Level (mft)	Time (min)	Water Level (mft)
☐ Clear and sand free ☐ Other, specify:		Static Level	2.44 m		
If pumping discontinued, give reason:					
Pump intake set at (mft)		1		1	
Pumping rate (l/min / GPM)		2		2	
Duration of pumping		3		3	
hrs + min		4		4	
Final water level end of pumping (mft)		5		5	
If flowing give rate (l/min / GPM)		10		10	
Recommended pump depth (mft)		15		15	
		20		20	
		25		25	
Recommended pump rate (l/min / GPM)		30		30	
		40		40	
Well production (l/min / GPM)		50		50	
Disinfected?		60		60	
☐ Yes ☐ No					

Map of Well Location

Please provide a map below following instructions on the back.



Comments

Well owner's information package delivered ☐ Yes ☒ No	Date Package Delivered 7/14/2014	Ministry Use Only Audit No. Z187095 JUL 10 2014
	Date Work Completed 20/14/04/23	

Ministry of
the Environment

Well	A 042967	Number (below)
A042967		

Well Record
Regulation 903 Ontario Water Resources Act

page ___ of ___

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All metre measurements shall be reported to 1/10th of a metre.
- Please print clearly in blue or black ink only.

Ministry Use Only

Address of Well Location (County/District/Municipality)		Township		Lot	Concession
FRONTENAC		KINGSTON		25	5
RR#/Street Number/Name		City/Town/Village		Site/Compartment/Block/Tract etc.	
2255 PERTH R.D.					
GPS Reading	NAD	Zone	Easting	Northing	Unit Make/Model
	83	18	390137	4904609	MAGELLAN
Mode of Operation:				☐ Undifferentiated ☒ Averaged	
				☐ Differentiated, specify	

Log of Overburden and Bedrock Materials (see instructions)

General Colour	Most common material	Other Materials	General Description	Depth From	Metres To
BLUE	CLAY			0	4.8
BROWN	SHALE			4.8	5.4
BLUE	LIMESTONE			5.4	18.3

STEP TEST SHOWS WELL WILL PRODUCE 25 L.P.M.

Hole Diameter			Construction Record				Test of Well Yield					
Depth	Metres	Diameter	Inside diam centimetres	Material	Wall thickness centimetres	Depth From	Metres To	Pumping test method	Draw Down	Recovery		
From	To	Centimetres						Time	Water Level	Time	Water Level	
0	6	25.4						548	min	Metres	min	Metres
6	18.3	15.25						Pump intake static (metres) 18.0	Static Level			
								Pumping rate - (litres/min) 18.2	1	.6	1	4.3
								Duration of pumping 2 hrs + 0 min	2	1.2	2	3.7
								Final water level end of pumping 4.9 metres	3	1.8	3	3.4
								Recommended pump type ☐ Shallow ☒ Deep	4	2.1	4	3.2
								Recommended pump depth 17.7 metres	5	2.3	5	2.9
								Recommended pump rate 18.2 (litres/min)	10	2.9	10	2.2
								If flowing give rate - (litres/min) 3.8	15	3.3	15	1.5
									20	3.8	20	1.0
									25	4.0	25	.6
									30	4.3	30	.3
									40	4.6	40	0
									50	4.9	50	0
									60	4.9	60	0

Plugging and Sealing Record			☒ Annular space	☐ Abandonment
Depth set at - Metres	Material and type (bentonite slurry, neat cement slurry) etc.	Volume Placed (cubic metres)		
6 0	CEMENT SLURRY	.2		

Method of Construction			
☒ Cable Tool	☐ Rotary (air)	☐ Diamond	☐ Digging
☐ Rotary (conventional)	☒ Air percussion	☐ Jetting	☐ Other
☐ Rotary (reverse)	☐ Boring	☐ Driving	

Water Use			
☒ Domestic	☐ Industrial	☐ Public Supply	☐ Other
☐ Stock	☐ Commercial	☐ Not used	
☐ Irrigation	☐ Municipal	☐ Cooling & air conditioning	

Final Status of Well			
☒ Water Supply	☐ Recharge well	☐ Unfinished	☐ Abandoned (Other)
☐ Observation well	☐ Abandoned, insufficient supply	☐ Ewatering	
☐ Test Hole	☐ Abandoned, poor quality	☐ Replacement well	

Well Contractor/Technician Information	
Name of Well Contractor	Well Contractor's Licence No.
JACK KNOX WELLDRILLING	3202
Business Address (street name, number, city etc.)	
GLENBURNIE	
Name of Well Technician (last name, first name)	Well Technician's Licence No.
KNOX JOHN	2879
Signature of Technician/Contractor	Date Submitted
x Ron Knox	

Location of Well	
In diagram below show distances of well from road, lot line, and building. Indicate north by arrow.	
Audit No.	Date Well Completed
z 48014	06/11/9
Was the well owner's information package delivered?	Date Delivered
☐ Yes ☐ No	06/11/9

Ministry Use Only	
Date Sourced	Contractor
NOV 23 2009	3202
Remarks	Date of Inspection
	06/11/9
	Well Record Number

Measurements recorded in: ☐ Metric ☒ Imperial

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
	KCAP Kingston Inc.		
Mailing Address (Street Number/Name)	Municipality	Province	Postal Code
45 Saint Clair St. W Suite 1001	Toronto	ON	M4V 1K9
Telephone No. (inc. area code)			

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
46 Warne Crescent			
County/District/Municipality	City/Town/Village	Province	Postal Code
	Kingston	Ontario	K7K 2Z5
UTM Coordinates Zone Easting Northing		Municipal Plan and Sublot Number	
NAD 83 18T 0379769 490116 93			

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)
From	To			From To
Grey	Clay		Wet Grey Clay	0' 14'
3 MW's set on site in Cluster				

Annular Space			Results of Well Yield Testing			
Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)	Draw Down		Recovery	
From To			Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
0 3'	3/8" Bentonite chips					
3' 14'	#2 Silica Sand					

Method of Construction		Well Use		
☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial	☐ Not used
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal	☐ Dewatering
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☒ Test hole	☐ Monitoring
☒ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning	
☐ Air percussion		☐ Industrial		
☐ Other, specify		☐ Other, specify		

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (mm/in)	Depth (m/ft)	From	To
2"	Plastic	25"	0' 4'		


Construction Record - Screen				Status of Well	
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	From	To
2.25"	Plastic	10	4' 14'		

Water Details		Hole Diameter	
Water found at Depth (m/ft)	Kind of Water: ☐ Fresh ☐ Untested ☐ Gas ☐ Other, specify	Depth (m/ft)	Diameter (cm/in)
0' 14'		0' 14'	5"

Well Contractor and Well Technician Information			
Business Name of Well Contractor		Well Contractor's License No.	
Canadian Environmental Drilling & Contractors Inc.		7 32 3	
Business Address (Street Number/Name)		Municipality	
4102 Perth Rd		South Frontenac	
Province	Postal Code	Business E-mail Address	
ON	K0H 1X0	Jonathan@canedc.com	
Bus. Telephone No. (inc. area code)		Name of Well Technician (Last Name, First Name)	
613 853 2231		FILLION JONATHAN	
Well Technician's License No.		Signature of Technician and/or Contractor Date Submitted	
33115		2016/12/08	

Map of Well Location	
Please provide a map below following instructions on the back.	
Comments:	

Well owner's information package delivered	Date Package Delivered	Ministry Use Only
☒ Yes ☐ No	2016/12/08	Audit No. Z230966
	Date Work Completed	JUL 10 2017
		Received



CNE

(DC)

Measurements recorded in: ☒ Metric ☐ Imperial

Page ____ of ____

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
	1799760 Ontario Inc.	francastud12@gmail.com	
Mailing Address (Street Number/Name)	Municipality	Province	Postal Code
1010 Polytek Street, Unit 9	Ottawa	Ontario	K1J5H9
Telephone No. (inc. area code)		613 6952406	

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
46 Wayne Crescent	Kingsdon City	24	3
County/District/Municipality	City/Town/Village	Province	Postal Code
Frankton	Kingsdon	Ontario	K7H6Z5
UTM Coordinates Zone	Easting	Northing	Municipal Plan and Sublot Number
NAD 83	11819380	2584902537	
Other			

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (mft)
				From To
	abandon well		benite	3.0 0

Annular Space			Results of Well Yield Testing			
Depth Set at (mft)	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)	After test of well yield, water was:		Draw Down	
From To			☐ Clear and sand free		Time (min)	Water Level (mft)
			☐ Other, specify		Stable Level	
			If pumping discontinued, give reason:		1	1
			Pump intake set at (mft)		2	2
			Pumping rate (l/min / GPM)		3	3
			Duration of pumping		4	4
			Final water level end of pumping (mft)		5	5
			If flowing give rate (l/min / GPM)		10	10
			Recommended pump depth (mft)		15	15
			Recommended pump rate (l/min / GPM)		20	20
			Well production (l/min / GPM)		25	25
			Disinfected?		30	30
			☐ Yes ☐ No		40	40
					50	50
					60	60

Method of Construction		Well Use	
☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Not used
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☐ Dewatering
☐ Boring	☐ Digging	☐ Irrigation	☐ Test Hole
☐ Air percussion		☐ Industrial	☐ Cooling & Air Conditioning
☐ Other, specify		☐ Other, specify	

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (mft)	☐ Water Supply	☐ Replacement Well
From To	From To	From To	From To		
				☐ Test Hole	☐ Recharge Well
				☐ Dewatering Well	☐ Observation and/or Monitoring Hole
				☐ Alteration (Construction)	☐ Abandoned, insufficient supply
				☐ Abandoned, poor water quality	☐ Abandoned, other, specify
				☐ Other, specify	


Construction Record - Screen				Status of Well	
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (mft)	☐ Water Supply	☐ Replacement Well
From To	From To	From To	From To		
				☐ Test Hole	☐ Recharge Well
				☐ Dewatering Well	☐ Observation and/or Monitoring Hole
				☐ Alteration (Construction)	☐ Abandoned, insufficient supply
				☐ Abandoned, poor water quality	☐ Abandoned, other, specify
				☐ Other, specify	

Water Details		Hole Diameter	
Water found at Depth (mft)	Kind of Water: ☐ Fresh ☐ Untested ☐ Gas ☐ Other, specify	Depth (mft)	Diameter (cm/in)
From To		From To	

Business Name of Well Contractor		Well Contractor's Licence No.	
Mackellon Water Technology		317510	
Business Address (Street Number/Name)		Municipality	
388 Millhaven Road		Oshawa	
Province	Postal Code	Business E-mail Address	
Ontario	K9A1H0	info@mwater.ca	
Bus. Telephone No. (inc. area code)		Name of Well Technician (Last Name, First Name)	
613/3860550		Schroth, Keith	
Well Technician's Licence No.		Signature of Technician and/or Contractor	
2730		[Signature]	
		Date Submitted	
		2019/04/16	

Map of Well Location

Please provide a map below following instructions on the back.



Comments:

Well owner's information package delivered	Date Package Delivered	Ministry Use Only
☐ Yes ☐ No	Y/Y/Y/M/M/D/D	
Date Work Completed		Audit No. 2297079
	2019/04/16	MAY 07 2019
		Received

Measurements recorded in: ☒ Metric ☐ Imperial

Tag#: A146406

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
	8413525 ONTARIO LTD.		
Mailing Address (Street Number/Name)	Municipality	Province	Postal Code
PH-05, 233 South Park Rd.	Markham	ON	L3R0B3

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
1213 Division Street	CITY OF KINGSTON		
County/District/Municipality	City/Town/Village	Province	Postal Code
Frontenac County	KINGSTON	Ontario	K7K5W4
UTM Coordinates: Zone Easting Northing	Municipal Plan and Sublot Number	Other	
NAD 83 18B80422/4902575			

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)
Brown	Sand	Gravel	Packed, fill	0 0.91
Brown	clay	silt	Dry	0.91 4.88
Gray	clay		Wet	4.88 6.10

Annular Space

Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)
0 0.30	Flushover w/cement	
0.30 2.74	Bentonite chips	
2.74 6.10	Sand #3	

Method of Construction

☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial	☐ Not used
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal	☐ Dewatering
☐ Rotary (Reverse)	☐ Drilling	☐ Livestock	☐ Test Hole	☒ Monitoring
☒ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning	
☐ Air percussion		☐ Industrial		
☐ Other, specify		☐ Other, specify		

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)	Status of Well
17.78	Steel Cover	0.32	0 0.30	☐ Water Supply
5.08	Plastic	SC40	0 3.05	☐ Replacement Well
				☐ Test Hole
				☐ Recharge Well
				☐ Dewatering Well
				☒ Observation and/or Monitoring Hole
				☐ Alteration (Construction)
				☐ Abandoned, Insufficient Supply
				☐ Abandoned, Poor Water Quality
				☐ Abandoned, other, specify
				☐ Other, specify

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)
5.08	Plastic	0.10	3.05 6.10

Water Details

Water found at Depth (m/ft)	Kind of Water:	Hole Diameter
2.74 (m/ft)	☐ Gas ☒ Other, specify	Depth (m/ft) Diameter (cm/in)
		0 0.30 21.59
		0.30 6.10 16.51

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
G.E.T. Drilling LTD.	7085
Business Address (Street Number/Name)	Municipality
278 Drive-in Rd	Napanee
Province	Postal Code
ON	K7R3L1
Business E-mail Address	
getdrilling@mycanda.ca	
Bus Telephone No. (inc. area code)	Name of Well Technician (Last Name, First Name)
6133544262	Turnbull, Mike
Well Technician's Licence No.	Signature of Technician and/or Contractor
3042	
Date Submitted	
20140526	

Results of Well Yield Testing

After test of well yield, water was:	Draw Down	Recovery
☐ Clear and sand free	Time (min)	Water Level (m/ft)
☐ Other, specify	Static Level	Time (min)
	2.29m	
If pumping discontinued, give reason:	1	1
Pump intake set at (m/ft)	2	2
Pumping rate (l/min / GPM)	3	3
Duration of pumping	4	4
hrs + min	5	5
Final water level end of pumping (m/ft)	10	10
If flowing give rate (l/min / GPM)	15	15
Recommended pump depth (m/ft)	20	20
Recommended pump rate (l/min / GPM)	25	25
Well production (l/min / GPM)	30	30
Disrupted?	40	40
☐ Yes ☐ No	50	50
	60	60

Map of Well Location

Please provide a map below following instructions on the back.

Well owner's information package delivered	Date Package Delivered	Ministry Use Only
☐ Yes ☒ No	20140425	Audit No. 187096
Date Work Completed		
20140425		

Measurements recorded in: ☒ Metric ☐ Imperial

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
	Shell Canada Products Ltd.		
Mailing Address (Street Number/Name)	Municipality	Province	Postal Code
90 Sheppard Ave. E. Suite 600	Toronto	ON	M2N 6Y2
Telephone No. (inc. area code)			

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
1213 DIVISION STREET			
County/District/Municipality	City/Town/Village	Province	Postal Code
	KINGSTON	Ontario	K7K 5W4

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number
NAD 83	18	380433	4902579	

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	M.S. Contamin Material	Other Materials	General Description	Depth (m/ft)
				From To
Dark br. Sand & Gravel		Silt	Loose	0.45 3.66
Dark grey Silty clay / clay		Sand	stiff dense	3.66 5.48

Annular Space		
Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /m ³)
5.48 0.60	Sand Silica	0.034
0.60 0.30	Bentonite	0.003
0.30 0.0	Concrete	0.015

Method of Construction	Well Use
☐ Cable Tool ☐ Rotary (Conventional) ☐ Rotary (Reverse) ☒ Boring ☐ Air percussion ☐ Other, specify	☐ Domestic ☐ Commercial ☐ Not used ☐ Municipal ☐ Dewatering ☒ Monitoring ☐ Cooling & Air Conditioning ☐ Industrial ☐ Other, specify

Construction Record - Casing				Status of Well
Inside Diameter (mm)	Open Hole OR Material (Galvanized, Fiberglass, Concrete, Plastic, Steel)	Well Thickness (mm)	Depth (m/ft)	
			From To	
5.2	Plastic	0.39	0.0 0.9	☐ Water Supply ☐ Replacement Well ☐ Test Hole ☐ Recharge Well ☐ Dewatering Well ☒ Observation and Monitoring Hole ☐ Alteration (Construction) ☐ Abandoned, Insufficient Supply ☐ Abandoned, Poor Water Quality ☐ Abandoned, other, specify ☐ Other, specify

Construction Record - Screen			
Outside Diameter (mm)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)
			From To
6.03	Plastic	10	0.9 5.48

Water Details		Hole Diameter	
Water found at Depth (m/ft)	Kind of Water: ☐ Fresh ☐ Untested ☐ Gas ☐ Other, specify	Depth (m/ft)	Diameter (mm)
0.6 (20)		From To	
		0.3 5.48	11.4
		0.0 0.3	15.2

Well Contractor and Well Technician Information			
Business Name of Well Contractor	Well Contractor's License No.		
Fisher Environmental Ltd.	619416		
Business Address (Street Number/Name)	Municipality		
400 Esna Park Drive #15	Markham		
Province	Postal Code	Business E-mail Address	
Ontario	L3R3K2	fisher@fisherenvironmental.com	
Bus. Telephone No. (inc. area code)	Name of Well Technician (Last Name, First Name)		
9105475775	Fisher, David		
Well Technician's License No.	Signature of Technician and/or Contractor	Date Submitted	
2556		20110603	

Results of Well Yield Testing			
After test of well yield, water was:		Draw Down	
☐ Clear and sand free ☐ Other, specify		Time (min)	Water Level (m/ft)
If pumping discontinued, give reason		Stable level	
Pump intake set at (m/ft)		2	2
Pumping rate (min / GPM)		3	3
Duration of pumping hrs + min		4	4
Final water level end of pumping (m/ft)		5	5
If flowing give rate (min / GPM)		10	10
Recommended pump depth (m/ft)		15	15
Recommended pump rate (min / GPM)		20	20
Well production (min / GPM)		25	25
Disinfected?		30	30
☐ Yes ☐ No		40	40
		50	50
		60	60

Map of Well Location	
Please provide a map below following instructions on the back.	
Comments	

Ministry Use Only	
Audit No.	2131586
Received	JUN 09 2011
Well owner's information package received	20110603
Date Audit Completed	20110527
☒ Yes ☐ No	

Measurements recorded in: ☐ Metric ☒ Imperial

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
	8413525 ONTARIO LTD		
Mailing Address (Street Number/Name)	Municipality	Province	Postal Code
P.O. # 05 233 South Park Rd.	Markham	ON	L3T0B3
Telephone No. (inc. area code)			

Well Location

Address of Well Location (Street Number/Name) 1213 DIVISION ST.		Township CITY OF KINGSTON	Lot —	Concession —
County/District/Municipality FRONTENAC COUNTY		City/Town/Village KINGSTON	Province ONTARIO	Postal Code K7K5W4
UTM Coordinates: Zone Easting Northing NAD 83 18 38 0419 4902568		Municipal Plan and Sublot Number —	Other —	

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

[illegible]

Annular Space

Depth Set at (m/ft)	From	To	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /ft ³)
0	0.30		Flushcover w/Cement	
0.30	1.22		Bentonite chips	
1.22	4.57		Sand #3	

Method of Construction

Drilling Method		Well Use	
☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☒ Test Hole
☒ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning
☐ Air percussion		☐ Industrial	
☐ Other, specify _____		☐ Other, specify _____	

Well Use

☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial	☐ Not used
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal	☐ Dewatering
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☒ Test Hole	☐ Monitoring
☒ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning	
☐ Air percussion		☐ Industrial		
☐ Other, specify _____		☐ Other, specify _____		

Construction Record - Casings

Inside Diameter (mm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (mm/in)	Depth (m/ft)		Status of Well
			From	To	
17.78	Steel Cover	0.32	0	0.30	☐ Water Supply ☐ Replacement Well ☐ Test Hole ☐ Recharge Well ☐ Dewatering Well ☒ Observation and/or Monitoring Hole ☐ Alteration (Construction) ☐ Abandoned
3.08	Plastic	50 ⁴⁰	0	1.52	

Status of Well

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fiberglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		
			From	To	
12.78	Steel Cover	0.32	0	0.30	☐ Water Supply ☐ Replacement Well ☐ Test Hole ☐ Recharge Well ☐ Dewatering Well ☒ Observation and/or Monitoring Hole ☐ Alteration (Construction) ☐ Abandoned, Insufficient Supply ☐ Abandoned, Poor Water Quality ☐ Abandoned, other, specify _____
5.08	Plastic	SC# 40	0	1.52	
Construction Record - Screen					
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)		
			From	To	
5.08	Plastic	SC# 40	1.52	4.57	☐ Other, specify _____

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Silt No.	Depth (m/ft)		☐ Abandoned, Poor Water Quality ☐ Abandoned, other, specify _____ ☐ Other, specify _____
			From	To	
5.08	Plastic	SC# 40	1.52	4.57	

Water Details

		Flow Diameter		
Water found at Depth - 22 (mft) ☐ Gas	Kind of Water: ☐ Fresh ☒ Untested ☐ Other, specify _____	Depth (mft) From	To	Diameter (cm/in)
Water found at Depth (mft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify _____	0	0.30	21.59
Water found at Depth (mft) ☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, specify _____	0.30	4.57	16.51

Hole Diameter

Water found at Depth	Kind of Water: ☐ Fresh ☒ Untested	Depth (mft)		Diameter (cm/in)
32 (mft) ☐ Gas ☐ Other, specify		From	To	
Water found at Depth	Kind of Water: ☐ Fresh ☐ Untested	0	0.30	21.59
(mft) ☐ Gas ☐ Other, specify		0.30	4.57	16.51
Water found at Depth	Kind of Water: ☐ Fresh ☐ Untested			
(mft) ☐ Gas ☐ Other, specify				

Well Contractor and Well Technician Information

Business Name of Well Contractor GFT Drilling LTD		Well Contractor's Licence No. 7085
Business Address (Street Number/Name) 278 Drive-in rd		Municipality Napanee
Province ON	Postal Code K7R3L1	Business E-mail Address getdrilling@mycanda.co
Bus Telephone No. (inc. area code) 6133544767	Name of Well Technician (Last Name, First Name) Turnbull, Mike	
Well Technician's Licence No. 3042	Signature of Technician and/or Contractor 	Date Submitted 20140526

Results of Well Yield Testing

After test of well yield, water was:		Draw Down		Recovery	
☐ Clear and sand free ☐ Other, specify _____		Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason:		Static Level	1.22m		
Pump intake set at (m/ft)		1		1	
Pumping rate (l/min / GPM)		2		2	
Duration of pumping hrs + min		3		3	
Final water level end of pumping (m/ft)		4		4	
If flowing give rate (l/min / GPM)		5		5	
Recommended pump depth (m/ft)		10		10	
Recommended pump rate (l/min / GPM)		15		15	
Well production (l/min / GPM)		20		20	
Disallowed?		25		25	
☐ Yes ☐ No		30		30	
		40		40	
		50		50	
		60		60	

Map of Well Location

Please provide a map below following instructions on the back.

Hand-drawn site plan of a plot at the corner of Division St and Benson St. The plot is 20m wide and 32m deep. A 'Store' is located in the center. A dashed rectangle indicates a larger area. A north arrow points towards the top right. The plot is bounded by Division St on the left and Benson St on the bottom.

Comments:

Well owner's information package delivered	Date Package Delivered	Ministry Use Only Audit No. Z187097 DATE 10/20/11
☐ Yes ☒ No	Date Work Completed 20140425	

Measurements recorded in: ☐ Metric ☒ Imperial

Well Owner's Information

First Name: **Suncor Energy** Last Name / Organization: **Suncor Energy** E-mail Address: **[blank]** ☐ Well Constructed by Well Owner
Mailing Address (Street Number/Name): **3275 Rebecca St.** Municipality: **Oakville** Province: **ON** Postal Code: **L6L6N5** Telephone No. (inc. area code): **[blank]**

Well Location

Address of Well Location (Street Number/Name): **45 Dalton Ave** Township: **[blank]** Lot: **[blank]** Concession: **[blank]**
County/District/Municipality: **[blank]** City/Town/Village: **Kingston** Province: **Ontario** Postal Code: **K7K6C2**
UTM Coordinates Zone: **18** Easting: **379872** Northing: **4901653** Municipal Plan and Sublot Number: **[blank]** Other: **[blank]**

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/l)
				From To
GRAY	Clay		dense	0 2.5'

5 MW's Set on Site in Cluster.

Annular Space		
Depth Set at (m/l)	Type of Sealant Used (Material and Type)	Volume Placed (m ³ /l)
From To		
0 13'	3/8" Bentonite chips	
13' 25'	#2 Silica Sand	

Method of Construction		Well Use	
☐ Cable Tool	☐ Diamond	☐ Public	☐ Commercial
☐ Rotary (Conventional)	☐ Jetting	☐ Domestic	☐ Municipal
☐ Rotary (Reverse)	☐ Driving	☐ Livestock	☐ Test Hole
☒ Boring	☐ Digging	☐ Irrigation	☐ Cooling & Air Conditioning
☐ Air percussion		☐ Industrial	
☐ Other, specify		☐ Other, specify	

Construction Record - Casing			Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/l)	
			From To	
2"	Plastic	.25"	0 15'	☒ Test Hole
				☐ Recharge Well
				☐ Dewatering Well
				☒ Observation and/or Monitoring Hole
				☐ Alteration (Construction)
				☐ Abandoned, Insufficient Supply
				☐ Abandoned, Poor Water Quality
				☒ Abandoned, other, specify
				☐ Other, specify


Construction Record - Screen			Status of Well	
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/l)	
			From To	
2.25"	Plastic	.10	15' 25'	☒ Test Hole
				☐ Recharge Well
				☐ Dewatering Well
				☒ Observation and/or Monitoring Hole
				☐ Alteration (Construction)
				☐ Abandoned, Insufficient Supply
				☐ Abandoned, Poor Water Quality
				☒ Abandoned, other, specify
				☐ Other, specify

Water Details		Hole Diameter	
Water found at Depth (m/l)	Kind of Water: ☐ Fresh ☐ Untested	Depth (m/l)	Diameter (cm/in)
		From To	
0 25'	Gas	0 25'	8"
	☐ Gas ☐ Other, specify		
	☐ Gas ☐ Other, specify		
	☐ Gas ☐ Other, specify		

Well Contractor and Well Technician Information
Business Name of Well Contractor: **Can. Envir. Drilling Contractors Inc.** Well Contractor's Licence No.: **7323**
Business Address (Street Number/Name): **4102 Perth Road** Municipality: **Inverary**
Province: **ON** Postal Code: **K0H1X0** Business E-mail Address: **Jonathan@caneco.com**
Bus. Telephone No. (inc. area code): **6133532231** Name of Well Technician (Last Name, First Name): **FILLION JONATHAN**
Well Technician's Licence No.: **3315** Signature of Technician and/or Contractor: **[Signature]** Date Submitted: **20130630**

Results of Well Yield Testing			
After test of well yield, water was:		Draw Down	
☐ Clear and sand free		Time (min)	Water Level (m/l)
☐ Other, specify			
If pumping discontinued, give reason:		Static Level	Recovery
			Time (min) Water Level (m/l)
Pump intake set at (m/l)		1	1
Pumping rate (l/min / GPM)		2	2
Duration of pumping hrs + min		3	3
Final water level end of pumping (m/l)		4	4
If flowing give rate (l/min / GPM)		5	5
Recommended pump depth (m/l)		10	10
Recommended pump rate (l/min / GPM)		15	15
Well production (l/min / GPM)		20	20
Disinfected?		25	25
☐ Yes ☐ No		30	30
		40	40
		50	50
		60	60

Map of Well Location
Please provide a map below following instructions on the back.
Dalton Ave
Division St
MW1
Pumps
Petro Can Store
Comments:
20130524
Ministry Use Only
Audit No.: **Z168412**
Date Work Completed: **20130524**
Date Submitted: **20130630**



Ministry of
the Environment

Print Tag No. for Cluster Well (Print Well Tag No.)
A 090636
A090636

Cluster Well Information for Cluster Well Construction

Regulation 903 Ontario Water Resources Act

Page 1 of 1

Property Owner's Information

First Name: Shell Canada Products Last Name: Mailing Address (Street Number/Name, R/R): 90 Sheppard Avenue East #600 Municipality: Toronto
Province: Ontario Postal Code: M1S 4Y2 E-mail Address: Telephone No. (inc. area code): 416 227 7111

Cluster Well Information

Address of Well Location (Street Number/Name, R/R): 1213 Division Lot: Concession: Township: County/District/Municipality:
City/Town/Village: Kingstone Province: Ontario Postal Code: GPS Unit Make: Garmin Model: Etrex Unit Mode of Operation: ☐ Undifferentiated ☒ Wesaped
☐ Differentiated, specify:

Well in Feet	UTM Coordinates Zone Easting Northing	Full Depth of Hole (metres)	Hole Diameter (cm)	Method of Construction	Casing Material	Casing Length (metres)	Screen Intervals (metres) From To	Annular Space Sealant Used	Static Water Level (metres)	Abandonment Sealant Used	Comments	Date of Completion (yyyy/mm/dd)
MW 1	183804484902575	4.6	20	HSA	PVC	1.2	1.2 4.3		0.8	Bentonite		2010/07/07
MW 2	183804444902596								0.8			2010/07/07
MW 3	183804284902604								1.3			2010/07/07
MW 4	183804214902597								1.7			2010/07/07
MW 5	183804184902587								1.8			2010/07/08
MW 7	183804414902563								1.1			2010/07/08
MW 6	183804204902572	5.3							1.0			2010/07/08

Well Contractor and Well Technician Information

Business Name of Well Contractor: George Downing Estate Drilling Business Address (Street Number/Name, R/R): 410 Rue Principale Municipality: Grenville Sur La Rouge Province: QC
Postal Code: J0V 1B0 Business Telephone No. (inc. area code): 819 242 6469 Well Contractor's Licence No.: 1844 Business E-mail Address: downing@howk-igs.net
Name of Well Technician (First Name, Last Name): Bruce Downing Well Technician's Licence No.: 21173 Date Submitted (yyyy/mm/dd): 2010/08/04 Signature of Technician: Bruce Downing

Date 1st Well in Cluster Constructed (yyyy/mm/dd): 2010/07/07 Date Last Well in Cluster Constructed (yyyy/mm/dd): 2010/07/08


Ministry Use Only

Date Received (yyyy/mm/dd): AUG 17 2010 Date Inspected (yyyy/mm/dd):
Audit No.: c08010 Remarks: MO6779

Appendix A3

Borehole Logs and k-Test results

Client: Utilities Kingston	Project: Kingston Regional Biosolids and Biogas Facility
Project No.: 22-4641	Location: Knox Farm
Drilling Co.: G.E.T Drilling	Drilling Method: Auger / Air Hammer
Observer: DO	Date Started: Oct 20, 2022 Date Completed: Oct 20, 2022



Notes:
Augered from 0 to 3.1 m mbgs
Air Hammer to 3.1 to 4.7 m bgs
Borehole terminated at 4.7 m bgs

Latitude: 44.27287193 Longitude: -76.50494995

LITHOLOGY SYMBOLS


	Organics		Limestone
	Silt / Clay		

 Water Level (m bgs) : 1.06

m bgs - Meters Below Ground Surface
GS - Grain Size

Casing Diameter (inches):
Grade Elevation (m asl) : 107.47
Top of Casing Elevation (m asl) : 108.13
Water Level (m asl) : 106.40
Water Level (m bgs) : 1.06

Client: <u>Utilities Kingston</u>	Project: <u>Kingston Regional Biosolids and Biogas Facility</u>
Project No.: <u>22-4641</u>	Location: <u>Knox Farm</u>
Drilling Co.: <u>G.E.T Drilling</u>	Drilling Method: <u>Auger / Air Hammer</u>
Observer: <u>DO</u>	Date Started: <u>Oct 20, 2022</u> Date Completed: <u>Oct 20, 2022</u>


Notes:

Augered from 0 to 2.6 m bgs
Air Hammer from 2.6 to 4.6 m bgs
Borehole terminated at 4.6 m bgs

DILLON MWH MOD 224641 - UTILITIES KINGSTON GPJ 22-11-23

Latitude: 44.27365885 Longitude: -76.50589366

LITHOLOGY SYMBOLS


Organics
Silt / Clay
Limestone

m bgs - Meters Below Ground Surface
GS - Grain Size

Casing Diameter (inches):
Grade Elevation (m asl) : 107.43
Top of Casing Elevation (m asl) : 108.28
Water Level (m asl) : 105.3
Water Level (m bgs) : 2.13

Water Level (m bgs) : 2.13

Client: Utilities Kingston	Project: Kingston Regional Biosolids and Biogas Facility
Project No.: 22-4641	Location: Knox Farm
Drilling Co.: G.E.T Drilling	Drilling Method: Auger / Air Hammer
Observer: DO	Date Started: Oct 20, 2022 Date Completed: Oct 20, 2022



Notes:
 Augered from 0 to 2 m bgs
 Air Hammer from 2 to 4.9 m bgs
 Borehole terminated at 4.9 m bgs

Latitude: 44.27298502 Longitude: -76.5070959


LITHOLOGY SYMBOLS


 Organics	 Limestone
 Silt / Clay	


m bgs - Meters Below Ground Surface
 GS - Grain Size

Casing Diameter (inches):
 Grade Elevation (m asl) : 104.99
 Top of Casing Elevation (m asl) : 106.01
 Water Level (m asl) : 103.84
 Water Level (m bgs) : 1.14

 Water Level (m bgs) : 1.14

			Slug Test Analysis Report	
			Project: Knox Farm - Hydrogeology Investigation	
			Number: 22-4841	
			Client: Utilities Kingston	
Location: Knox Farm		Slug Test: Rising Head Test		Test Well: P1
Test Conducted by: DO/TN			Test Date: 2022-10-26	
Analysis Performed by: DO		P1 - Rising Head Test		Analysis Date: 2022-11-22
Aquifer Thickness: 3.64 m				
Time [s] 02004006008001000 1E0 h/h0 1E-1 				
Calculation using Bouwer & Rice				
Observation Well		Hydraulic Conductivity [m/s]		
P1		2.23 × 10 ⁻⁷		
Well screened at silty clay and limestone interface				

			Slug Test Analysis Report	
			Project: Knox Farm - Hydrogeology Investigation	
			Number: 22-4841	
			Client: Utilities Kingston	
Location: Knox Farm		Slug Test: Rising Head Test		Test Well: P2
Test Conducted by: DO/TN			Test Date: 2022-10-26	
Analysis Performed by: DO		P2 - Rising Head Test		Analysis Date: 2022-11-16
Aquifer Thickness: 2.47 m				
Time [s] 				
Calculation using Bouwer & Rice				
Observation Well		Hydraulic Conductivity [m/s]		
P2		3.76 × 10 ⁻²		
Well screened at silty clay and limestone interface				

			Slug Test Analysis Report	
			Project: Knox Farm - Hydrogeology Investigation	
			Number: 22-4841	
			Client: Utilities Kingston	
Location: Knox Farm		Slug Test: Rising Head Test		Test Well: P3
Test Conducted by: DO/TN			Test Date: 2022-10-26	
Analysis Performed by: DO		P3 - Rising Head Test		Analysis Date: 2022-11-16
Aquifer Thickness: 3.76 m				
Time [s] 0 400 800 1200 1600 2000 1E0 1E-1 h/h0 				
Calculation using Bouwer & Rice				
Observation Well		Hydraulic Conductivity [m/s]		
P3		1.29 × 10 ⁻²		
Well screened at silty clay and limestone interface				